

RT-S Application Guide

BUICK

This fitment guide applies to vehicles with O.E. suspension, wheel wells, and brakes unless otherwise noted.

1997-2004 Regal/Base/LS/GS/GSX

(FWD)

4th Gen W-body 5x115 mm (W) 12mmX1.5 Lugs. Conical Lugs req'd 17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	S71 Polished Center Part Number	S71 Black Center Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
17"	Medium	17x4.5	Rear Only	-14	2.20	71MP7045W22A	71MB7045W22A	75MB7045W22A	76MB7045W22A	77MB7045W22A
	Medium	17x7.0	Frt/Rear	20	4.80	71MP7070W48A	71MB7070W48A	75MB7070W48A	76MB7070W48A	77MB7070W48A
	Medium	17x7.5	Frt/Rear	27	5.30	71MP7075W53A	71MB7075W53A	75MB7075W53A	76MB7075W53A	77MB7075W53A
	Medium	17x8.0	Frt/Rear	34	5.80	71MP7080W58A	71MB7080W58A	75MB7080W58A	76MB7080W58A	77MB7080W58A

18"	Medium	18x5.0	Rear Only	5	3.20	71MP8050W32A	71MB8050W32A	75MB8050W32A	76MB8050W32A	77MB8050W32A
	Medium	18x7.0	Frt/Rear	30	5.20	71MP8070W52A	71MB8070W52A	75MB8070W52A	76MB8070W52A	77MB8070W52A
	Medium	18x8.0	Frt/Rear	43	6.20	71MP8080W62A	71MB8080W62A	75MB8080W62A	76MB8080W62A	77MB8080W62A
	Medium	18x8.5	Frt/Rear	37	6.20	71MP8085W62A	71MB8085W62A	75MB8085W62A	76MB8085W62A	77MB8085W62A

20"	Medium	20x7.0	Frt/Rear	23	4.90	71LP0070W49A	71LB0070W49A	75LB0070W49A	76LB0070W49A	77LB0070W49A
	Medium	20x8.0	Frt/Rear	36	5.90	71LP0080W59A	71LB0080W59A	75LB0080W59A	76LB0080W59A	77LB0080W59A
	Medium	20x8.5	Frt/Rear	42	6.40	71LP0085W64A	71LB0085W64A	75LB0085W64A	76LB0085W64A	77LB0085W64A

1978-88 Regal/T-type/Grand National/GSX

2nd Gen G-body 5x4.75 (B), Grand National 12mmX1.5

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	S71 Polished Center Part Number	S71 Black Center Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
15"	Low	15x4	Front	-21	1.63	71LP-504B16A	71LB-504B16A	75LB-504B16A	76LB-504B16A	77LB-504B16A
	Low	15x5.3	Front	-16	2.50	71LP-505B25A	71LB-505B25A	75LB-505B25A	76LB-505B25A	77LB-505B25A
	Low	15x6.3	Front	-3	3.50	71LP-506B35A	71LB-506B35A	75LB-506B35A	76LB-506B35A	77LB-506B35A
	Low	15x7.3	Frt/Rear	10	4.50	71LP-507B45A	71LB-507B45A	75LB-507B45A	76LB-507B45A	77LB-507B45A
	Low	15x8.3	Rear Only	-3	4.50	71LP-508B45A	71LB-508B45A	75LB-508B45A	76LB-508B45A	77LB-508B45A

17"	Low	17x4.5	Front	-27	1.70	71LP7045B17A	71LB7045B17A	75LB7045B17A	76LB7045B17A	77LB7045B17A
	Low	17x7.0	Frt/Rear	-3	3.90	71LP7070B40A	71LB7070B40A	75LB7070B40A	76LB7070B40A	77LB7070B40A
	Low	17x8.0	Rear Only	10	4.90	71LP7080B50A	71LB7080B50A	75LB7080B50A	76LB7080B50A	77LB7080B50A

18"	Low	18x5.0	Front	-20	2.20	71LP8050B22A	71LB8050B22A	75LB8050B22A	76LB8050B22A	77LB8050B22A
	Low	18x7.0	Frnt/Rear	5	4.20	71LP8070B42A	71LB8070B42A	75LB8070B42A	76LB8070B42A	77LB8070B42A
	Low	18x8.0	Rear Only	5	4.70	71LP8080B47A	71LB8080B47A	75LB8080B47A	76LB8080B47A	77LB8080B47A

20"	Low	20x7.0	Frnt/Rear	0	4.00	71LP0070B40A	71LB0070B40A	75LB0070B40A	76LB0070B40A	77LB0070B40A
	Low	20x8.0	Rear Only	0	4.50	71LP0080B45A	71LB0080B45A	75LB0080B45A	76LB0080B45A	77LB0080B45A

1973-77 Regal/GS

3rd Gen A-Body 5x4.75" (B) 7/16 Lugs

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	S71 Polished Center Part Number	S71 Black Center Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
15"	Low	15x4	Front	-21	1.63	71LP-504B16A	71LB-504B16A	75LB-504B16A	76LB-504B16A	77LB-504B16A
	Low	15X5.3	Front	-16	2.50	71LP-505B25A	71LB-505B25A	75LB-505B25A	76LB-505B25A	77LB-505B25A
	Low	15X6.3	Front	-3	3.50	71LP-506B35A	71LB-506B35A	75LB-506B35A	76LB-506B35A	77LB-506B35A
	Low	15X7.3	Front	-16	3.50	71LP-507B45A	71LB-507B45A	75LB-507B45A	76LB-507B45A	77LB-507B45A
	Low	15X8.3	Frnt/Rear	-3	4.50	71LP-508B45A	71LB-508B45A	75LB-508B45A	76LB-508B45A	77LB-508B45A
	Low	15X9.3	Rear Only	-16	4.50	71LP-509B45A	71LB-509B45A	75LB-509B45A	76LB-509B45A	77LB-509B45A
	Low	15X10.3	Rear Only	-3	5.50	71LP-510B55A	71LB-510B55A	75LB-510B55A	76LB-510B55A	77LB-510B55A

17"	Low	17x4.5	Front	-27	1.70	71LP7045B17A	71LB7045B17A	75LB7045B17A	76LB7045B17A	77LB7045B17A
	Low	17x7.0	Front	-3	3.90	71LP7070B40A	71LB7070B40A	75LB7070B40A	76LB7070B40A	77LB7070B40A
	Low	17x8.0	Frnt/Rear	-3	4.40	71LP7080B45A	71LB7080B45A	75LB7080B45A	76LB7080B45A	77LB7080B45A
	Low	17x9.0	Rear Only	-15	4.40	71LP7090B45A	71LB7090B45A	75LB7090B45A	76LB7090B45A	77LB7090B45A
	Low	17x10.0	Rear Only	-3	5.40	71LP7100B55A	71LB7100B55A	75LB7100B55A	76LB7100B55A	77LB7100B55A

18"	Low	18x5.0	Front	-20	2.20	71LP8050B22A	71LB8050B22A	75LB8050B22A	76LB8050B22A	77LB8050B22A
	Low	18x7.0	Front	-8	3.70	71LP8070B37A	71LB8070B37A	75LB8070B37A	76LB8070B37A	77LB8070B37A
	Low	18x8.0	Frnt/Rear	5	4.70	71LP8080B47A	71LB8080B47A	75LB8080B47A	76LB8080B47A	77LB8080B47A
	Low	18x9.0	Rear Only	-8	4.70	71LP8090B47A	71LB8090B47A	75LB8090B47A	76LB8090B47A	77LB8090B47A
	Low	18x10.0	Rear Only	5	5.70	71LP8100B57A	71LB8100B57A	75LB8100B57A	76LB8100B57A	77LB8100B57A

20"	Low	20x7.0	Front	-13	3.50	71LP0070B35A	71LB0070B35A	75LB0070B35A	76LB0070B35A	77LB0070B35A
	Low	20x8.0	Frnt/Rear	0	4.50	71LP0080B45A	71LB0080B45A	75LB0080B45A	76LB0080B45A	77LB0080B45A
	Low	20x9.0	Rear Only	-13	4.50	71LP0090B45A	71LB0090B45A	75LB0090B45A	76LB0090B45A	77LB0090B45A
	Low	20x10.0	Rear Only	0	5.50	71LP8100B55A	71LB8100B55A	75LB8100B55A	76LB8100B55A	77LB8100B55A

1968-72 Skylark/GS/GSX

2nd Gen A-Body 5x4.75" (B) 7/16 Lugs

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	S71 Polished Center Part Number	S71 Black Center Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
15"	Low	15x4	Front	-21	1.63	71LP-504B16A	71LB-504B16A	75LB-504B16A	76LB-504B16A	77LB-504B16A
	Low	15X5.3	Front	-16	2.50	71LP-505B25A	71LB-505B25A	75LB-505B25A	76LB-505B25A	77LB-505B25A
	Low	15X6.3	Front	-3	3.50	71LP-506B35A	71LB-506B35A	75LB-506B35A	76LB-506B35A	77LB-506B35A
	Low	15X7.3	Front	-16	3.50	71LP-507B45A	71LB-507B45A	75LB-507B45A	76LB-507B45A	77LB-507B45A
	Low	15X8.3	Frnt/Rear	-3	4.50	71LP-508B45A	71LB-508B45A	75LB-508B45A	76LB-508B45A	77LB-508B45A
	Low	15X9.3	Rear Only	-16	4.50	71LP-509B45A	71LB-509B45A	75LB-509B45A	76LB-509B45A	77LB-509B45A
	Low	15X10.3	Rear Only	-3	5.50	71LP-510B55A	71LB-510B55A	75LB-510B55A	76LB-510B55A	77LB-510B55A

17"	Low	17x4.5	Front	-27	1.70	71LP7045B17A	71LB7045B17A	75LB7045B17A	76LB7045B17A	77LB7045B17A
	Low	17x7.0	Front	-3	3.90	71LP7070B40A	71LB7070B40A	75LB7070B40A	76LB7070B40A	77LB7070B40A
	Low	17x8.0	Frnt/Rear	-3	4.40	71LP7080B45A	71LB7080B45A	75LB7080B45A	76LB7080B45A	77LB7080B45A
	Low	17x9.0	Rear Only	-15	4.40	71LP7090B45A	71LB7090B45A	75LB7090B45A	76LB7090B45A	77LB7090B45A
	Low	17x10.0	Rear Only	-3	5.40	71LP7100B55A	71LB7100B55A	75LB7100B55A	76LB7100B55A	77LB7100B55A

18"	Low	18x5.0	Front	-20	2.20	71LP8050B22A	71LB8050B22A	75LB8050B22A	76LB8050B22A	77LB8050B22A
	Low	18x7.0	Front	-8	3.70	71LP8070B37A	71LB8070B37A	75LB8070B37A	76LB8070B37A	77LB8070B37A
	Low	18x8.0	Frnt/Rear	5	4.70	71LP8080B47A	71LB8080B47A	75LB8080B47A	76LB8080B47A	77LB8080B47A
	Low	18x9.0	Rear Only	-8	4.70	71LP8090B47A	71LB8090B47A	75LB8090B47A	76LB8090B47A	77LB8090B47A
	Low	18x10.0	Rear Only	5	5.70	71LP8100B57A	71LB8100B57A	75LB8100B57A	76LB8100B57A	77LB8100B57A

20"	Low	20x7.0	Front	-13	3.50	71LP0070B35A	71LB0070B35A	75LB0070B35A	76LB0070B35A	77LB0070B35A
	Low	20x8.0	Frnt/Rear	0	4.50	71LP0080B45A	71LB0080B45A	75LB0080B45A	76LB0080B45A	77LB0080B45A
	Low	20x9.0	Rear Only	-13	4.50	71LP0090B45A	71LB0090B45A	75LB0090B45A	76LB0090B45A	77LB0090B45A
	Low	20x10.0	Rear Only	0	5.50	71LP8100B55A	71LB8100B55A	75LB8100B55A	76LB8100B55A	77LB8100B55A

1964-67 Skylark/GS

1st Gen A-Body 5x4.75" (B) 7/16 Lugs

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	S71 Polished Center Part Number	S71 Black Center Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
15"	Low	15x4	Front	-21	1.63	71LP-504B16A	71LB-504B16A	75LB-504B16A	76LB-504B16A	77LB-504B16A
	Low	15x5.3	Front	-16	2.50	71LP-505B25A	71LB-505B25A	75LB-505B25A	76LB-505B25A	77LB-505B25A
	Low	15x6.3	Front	-3	3.50	71LP-506B35A	71LB-506B35A	75LB-506B35A	76LB-506B35A	77LB-506B35A
	Low	15x7.3	Frnt/Rear	10	4.50	71LP-507B45A	71LB-507B45A	75LB-507B45A	76LB-507B45A	77LB-507B45A
	Low	15x8.3	Rear Only	-3	4.50	71LP-508B45A	71LB-508B45A	75LB-508B45A	76LB-508B45A	77LB-508B45A

17"	Low	17x4.5	Front	-27	1.70	71LP7045B17A	71LB7045B17A	75LB7045B17A	76LB7045B17A	77LB7045B17A
	Low	17x7.0	Frnt/Rear	-3	3.90	71LP7070B40A	71LB7070B40A	75LB7070B40A	76LB7070B40A	77LB7070B40A
	Low	17x8.0	Rear Only	10	4.90	71LP7080B50A	71LB7080B50A	75LB7080B50A	76LB7080B50A	77LB7080B50A

18"	Low	18x5.0	Front	-20	2.20	71LP8050B22A	71LB8050B22A	75LB8050B22A	76LB8050B22A	77LB8050B22A
	Low	18x7.0	Frt/Rear	5	4.20	71LP8070B42A	71LB8070B42A	75LB8070B42A	76LB8070B42A	77LB8070B42A
	Low	18x7.5	Rear Only	11	4.70	71LP8075B47A	71LB8075B47A	75LB8075B47A	76LB8075B47A	77LB8075B47A
	Low	18x8.0	Rear Only	18	5.20	71LP8080B52A	71LB8080B52A	75LB8080B52A	76LB8080B52A	77LB8080B52A

20"	Low	20x7.5	Frt/Rear	-6	4.00	71LP0075B40A	71LB0075B40A	75LB0075B40A	76LB0075B40A	77LB0075B40A
	Low	20x8.0	Frt/Rear	0	4.50	71LP0080B45A	71LB0080B45A	75LB0080B45A	76LB0080B45A	77LB0080B45A

1975 Apollo & 1976-79 Skylark

3rd Gen X-Body 5x4.75 (B) 7/16 lugs

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20".

	Pad Height	Size	Vehicle Location	Offset	Back Space	S71 Polished Center Part Number	S71 Black Center Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
15"	Low	15x4	Front	-21	1.63	71LP-504B16A	71LB-504B16A	75LB-504B16A	76LB-504B16A	77LB-504B16A
	Low	15x5.3	Front	-16	2.50	71LP-505B25A	71LB-505B25A	75LB-505B25A	76LB-505B25A	77LB-505B25A
	Low	15x6.3	Front	-3	3.50	71LP-506B35A	71LB-506B35A	75LB-506B35A	76LB-506B35A	77LB-506B35A
	Low	15x7.3	Frt/Rear	10	4.50	71LP-507B45A	71LB-507B45A	75LB-507B45A	76LB-507B45A	77LB-507B45A
	Low	15x8.3	Rear Only	-3	4.50	71LP-508B45A*	71LB-508B45A*	75LB-508B45A*	76LB-508B45A*	77LB-508B45A*

~May require relocating rear shocks inboard

17"	Low	17x4.5	Front	-27	1.70	71LP7045B17A	71LB7045B17A	75LB7045B17A	76LB7045B17A	77LB7045B17A
	Low	17x7.0	Front	-3	3.90	71LP7070B40A	71LB7070B40A	75LB7070B40A	76LB7070B40A	77LB7070B40A
	Low	17x8.0	Frt/Rear	-3	4.40	71LP7080B45A	71LB7080B45A	75LB7080B45A	76LB7080B45A	77LB7080B45A
	Low	17x8.5	Rear Only	4	4.90	71LP7085B50A*	71LB7085B50A*	75LB7085B50A*	76LB7085B50A*	77LB7085B50A*

~May require relocating rear shocks inboard

18"	Low	18x5.0	Front	-20	2.20	71LP8050B22A	71LB8050B22A	75LB8050B22A	76LB8050B22A	77LB8050B22A
	Low	18x7.0	Front	-8	3.70	71LP8070B37A	71LB8070B37A	75LB8070B37A	76LB8070B37A	77LB8070B37A
	Low	18x8.0	Frt/Rear	5	4.70	71LP8080B47A	71LB8080B47A	75LB8080B47A	76LB8080B47A	77LB8080B47A
	Low	18x8.5	Rear Only	11	5.20	71LP8085B52A*	71LB8085B52A*	75LB8085B52A*	76LB8085B52A*	77LB8085B52A*

~May require relocating rear shocks inboard

20"	Low	20x7.0	Front	-13	3.50	71LP0070B35A	71LB0070B35A	75LB0070B35A	76LB0070B35A	77LB0070B35A
	Low	20x8.0	Frt/Rear	0	4.50	71LP0080B45A	71LB0080B45A	75LB0080B45A	76LB0080B45A	77LB0080B45A
	Low	20x8.5	Rear Only	19	5.50	71LP0085B55A*	71LB0085B55A*	75LB0085B55A*	76LB0085B55A*	77LB0085B55A*

~May require relocating rear shocks inboard

1973-74 Apollo

2nd Gen X-Body 5x4.75 (B) 7/16 lugs

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	S71 Polished Center Part Number	S71 Black Center Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
15"	Low	15x4	Front	-21	1.63	71LP-504B16A	71LB-504B16A	75LB-504B16A	76LB-504B16A	77LB-504B16A
	Low	15x5.3	Front	-16	2.50	71LP-505B25A	71LB-505B25A	75LB-505B25A	76LB-505B25A	77LB-505B25A
	Low	15x6.3	Front	-3	3.50	71LP-506B35A	71LB-506B35A	75LB-506B35A	76LB-506B35A	77LB-506B35A
	Low	15x7.3	Frt/Rear	10	4.50	71LP-507B45A	71LB-507B45A	75LB-507B45A	76LB-507B45A	77LB-507B45A
	Low	15x8.3	Rear Only	-3	4.50	71LP-508B45A	71LB-508B45A	75LB-508B45A	76LB-508B45A	77LB-508B45A

17"	Low	17x4.5	Front	-27	1.70	71LP7045B17A	71LB7045B17A	75LB7045B17A	76LB7045B17A	77LB7045B17A
	Low	17x7.0	Frt/Rear	-3	3.90	71LP7070B40A	71LB7070B40A	75LB7070B40A	76LB7070B40A	77LB7070B40A
	Low	17x7.5	Rear Only	-9	3.90	71LP7075B40A	71LB7075B40A	75LB7075B40A	76LB7075B40A	77LB7075B40A
	Low	17x8.0	Rear Only	-3	4.40	71LP7080B45A	71LB7080B45A	75LB7080B45A	76LB7080B45A	77LB7080B45A

18"	Low	18x5.0	Front	-20	2.20	71LP8050B22A	71LB8050B22A	75LB8050B22A	76LB8050B22A	77LB8050B22A
	Low	18x7.0	Frt/Rear	5	4.20	71LP8070B37A	71LB8070B37A	75LB8070B37A	76LB8070B37A	77LB8070B37A
	Low	18x7.5	Rear Only	-1	4.20	71LP8075B42A	71LB8075B42A	75LB8075B42A	76LB8075B42A	77LB8075B42A
	Low	18x8.0	Rear Only	5	4.70	71LP8080B47A	71LB8080B47A	75LB8080B47A	76LB8080B47A	77LB8080B47A

20"	Low	20x7.5	Frt/Rear	-6	4.00	71LP0075B40A	71LB0075B40A	75LB0075B40A	76LB0075B40A	77LB0075B40A
	Low	20x8.0	Frt/Rear	0	4.50	71LP0080B45A	71LB0080B45A	75LB0080B45A	76LB0080B45A	77LB0080B45A