

RT-S Application Guide

OLDSMOBILE

This fitment guide applies to vehicles with O.E. suspension, wheel wells, and brakes unless otherwise noted.

1978-88 Cutlass RWD/Supreme RWD

2nd Gen G-Body 5x4.75 (B)

Lugs: 7/16" RH20 Thru 1981, Lugs: 12mm x 1.5 1982+, 15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	S71 Polished Center Part Number	S71 Black Center Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
15"	Low	15x4.0	Front	-23	1.6	71LP-504B16A	71LB-504B16A	75LB-504B16A	76LB-504B16A	77LB-504B16A
	Low	15x5.3	Front	-16	2.5	71LP-505B25A	71LB-505B25A	75LB-505B25A	76LB-505B25A	77LB-505B25A
	Low	15x6.3	Front	-3	3.5	71LP-506B35A	71LB-506B35A	75LB-506B35A	76LB-506B35A	77LB-506B35A
	Low	15x7.3	Frnt/Rear	10	4.5	71LP-507B45A	71LB-507B45A	75LB-507B45A	76LB-507B45A	77LB-507B45A
	Low	15x8.3	Rear Only	-3	4.5	71LP-508B45A	71LB-508B45A	75LB-508B45A	76LB-508B45A	77LB-508B45A

17"	Low	17x4.5	Front	-27	1.7	71LP7045B17A	71LB7045B17A	75LB7045B17A	76LB7045B17A	77LB7045B17A
	Low	17x7.0	Frnt/Rear	-3	3.9	71LP7070B40A	71LB7070B40A	75LB7070B40A	76LB7070B40A	77LB7070B40A
	Low	17x7.5	Rear Only	4	4.4	71LP7075B45A	71LB7075B45A	75LB7075B45A	76LB7075B45A	77LB7075B45A
	Low	17x8.0	Rear Only	10	4.9	71LP7080B50A	71LB7080B50A	75LB7080B50A	76LB7080B50A	77LB7080B50A

18"	Low	18x5.0	Front	-20	2.2	71LP8050B22A	71LB8050B22A	75LB8050B22A	76LB8050B22A	77LB8050B22A
	Low	18x7.0	Frnt/Rear	5	4.2	71LP8070B42A	71LB8070B42A	75LB8070B42A	76LB8070B42A	77LB8070B42A
	Low	18x8.0	Rear Only	5	4.7	71LP8080B47A	71LB8080B47A	75LB8080B47A	76LB8080B47A	77LB8080B47A

20"	Low	20x7.5	Rear Only	-6	4.0	71LP0075B40A	71LB0075B40A	75LB0075B40A	76LB0075B40A	77LB0075B40A
	Low	20x8.0	Rear Only	0	4.5	71LP0080B45A	71LB0080B45A	75LB0080B45A	76LB0080B45A	77LB0080B45A

1973-77 Cutlass & 442

3rd Gen A-Body 5x4.75 (B) 7/16 Lugs

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	S71 Polished Center Part Number	S71 Black Center Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
15"	Low	15x4	Front	-23	1.6	71LP-504B16A	71LB-504B16A	75LB-504B16A	76LB-504B16A	77LB-504B16A
	Low	15x5.3	Front	-16	2.5	71LP-505B25A	71LB-505B25A	75LB-505B25A	76LB-505B25A	77LB-505B25A
	Low	15x6.3	Front	-3	3.5	71LP-506B35A	71LB-506B35A	75LB-506B35A	76LB-506B35A	77LB-506B35A
	Low	15x7.3	Frnt/Rear	10	4.5	71LP-507B45A	71LB-507B45A	75LB-507B45A	76LB-507B45A	77LB-507B45A
	Low	15x8.3	Frnt/Rear	-3	4.5	71LP-508B45A	71LB-508B45A	75LB-508B45A	76LB-508B45A	77LB-508B45A
	Low	15x9.3	Rear Only	-16	4.5	71LP-509B45A	71LB-509B45A	75LB-509B45A	76LB-509B45A	77LB-509B45A
	Low	15x10.33	Rear Only	-3	5.5	71LP-510B55A	71LB-510B55A	75LB-510B55A	76LB-510B55A	77LB-510B55A

17"	Low	17x4.5	Front	-27	1.7	71LP7045B17A	71LB7045B17A	75LB7045B17A	76LB7045B17A	77LB7045B17A
	Low	17x6.5	Front	-22	2.9	71LP7065B30A	71LB7065B30A	75LB7065B30A	76LB7065B30A	77LB7065B30A
	Low	17x7.5	Frnt/Rear	-9	3.9	71LP7075B40A	71LB7075B40A	75LB7075B40A	76LB7075B40A	77LB7075B40A
	Low	17x8.0	Frnt/Rear	-3	4.4	71LP7080B45A	71LB7080B45A	75LB7080B45A	76LB7080B45A	77LB7080B45A
	Low	17x9.0	Rear Only	-3	4.9	71LP7090B50A	71LB7090B50A	75LB7090B50A	76LB7090B50A	77LB7090B50A
	Low	17x10.0	Rear Only	-3	5.4	71LP7100B55A	71LB7100B55A	75LB7100B55A	76LB7100B55A	77LB7100B55A

18"	Low	18x5.0	Front	-33	1.7	71LP8050B17A	71LB8050B17A	75LB8050B17A	76LB8050B17A	77LB8050B17A
	Low	18x7.0	Front	-8	3.7	71LP8070B37A	71LB8070B37A	75LB8070B37A	76LB8070B37A	77LB8070B37A
	Low	18x8.0	Frnt/Rear	5	4.7	71LP8080B47A	71LB8080B47A	75LB8080B47A	76LB8080B47A	77LB8080B47A
	Low	18x9.0	Rear Only	-8	4.7	71LP8090B47A	71LB8090B47A	75LB8090B47A	76LB8090B47A	77LB8090B47A
	Low	18x10.0	Rear Only	5	5.7	71LP8100B57A	71LB8100B57A	75LB8100B57A	76LB8100B57A	77LB8100B57A

20"	Low	20x7.0	Front	-13	3.5	71LP0070B35A	71LB0070B35A	75LB0070B35A	76LB0070B35A	77LB0070B35A
	Low	20x8.0	Frnt/Rear	0	4.5	71LP0080B45A	71LB0080B45A	75LB0080B45A	76LB0080B45A	77LB0080B45A
	Low	20x9.0	Rear Only	-13	4.5	71LP0090B45A	71LB0090B45A	75LB0090B45A	76LB0090B45A	77LB0090B45A
	Low	20x10.0	Rear Only	0	5.5	71LP0100B55A	71LB0100B55A	75LB0100B55A	76LB0100B55A	77LB0100B55A

1968-72 Cutlass & 442

2nd Gen A-Body 5x4.75 [B] 7/16 Lugs

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	S71 Polished Center Part Number	S71 Black Center Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
15"	Low	15x4	Front	-23	1.6	71LP-504B16A	71LB-504B16A	75LB-504B16A	76LB-504B16A	77LB-504B16A
	Low	15x5.3	Front	-16	2.5	71LP-505B25A	71LB-505B25A	75LB-505B25A	76LB-505B25A	77LB-505B25A
	Low	15x6.3	Front	-3	3.5	71LP-506B35A	71LB-506B35A	75LB-506B35A	76LB-506B35A	77LB-506B35A
	Low	15x7.3	Frnt/Rear	10	4.5	71LP-507B45A	71LB-507B45A	75LB-507B45A	76LB-507B45A	77LB-507B45A
	Low	15x8.3	Frnt/Rear	-3	4.5	71LP-508B45A	71LB-508B45A	75LB-508B45A	76LB-508B45A	77LB-508B45A
	Low	15x9.3	Rear Only	-16	4.5	71LP-509B45A	71LB-509B45A	75LB-509B45A	76LB-509B45A	77LB-509B45A
	Low	15x10.3	Rear Only	-3	5.5	71LP-510B55A	71LB-510B55A	75LB-510B55A	76LB-510B55A	77LB-510B55A

17"	Low	17x4.5	Front	-27	1.7	71LP7045B17A	71LB7045B17A	75LB7045B17A	76LB7045B17A	77LB7045B17A
	Low	17x6.5	Front	-22	2.9	71LP7065B30A	71LB7065B30A	75LB7065B30A	76LB7065B30A	77LB7065B30A
	Low	17x8.0	Frnt/Rear	-3	4.4	71LP7080B45A	71LB7080B45A	75LB7080B45A	76LB7080B45A	77LB7080B45A
	Low	17x9.0	Rear Only	-3	4.9	71LP7090B50A	71LB7090B50A	75LB7090B50A	76LB7090B50A	77LB7090B50A
	Low	17x10.0	Rear Only	-3	5.4	71LP7100B55A	71LB7100B55A	75LB7100B55A	76LB7100B55A	77LB7100B55A

18"	Low	18x5.0	Front	-33	1.7	71LP8050B17A	71LB8050B17A	75LB8050B17A	76LB8050B17A	77LB8050B17A
	Low	18x7.0	Front	-8	3.7	71LP8070B37A	71LB8070B37A	75LB8070B37A	76LB8070B37A	77LB8070B37A
	Low	18x8.0	Frnt/Rear	5	4.7	71LP8080B47A	71LB8080B47A	75LB8080B47A	76LB8080B47A	77LB8080B47A
	Low	18x9.0	Rear Only	-8	4.7	71LP8090B47A	71LB8090B47A	75LB8090B47A	76LB8090B47A	77LB8090B47A
	Low	18x10.0	Rear Only	5	5.7	71LP8100B57A	71LB8100B57A	75LB8100B57A	76LB8100B57A	77LB8100B57A

20"	Low	20x7.0	Front	-13	3.5	71LP0070B35A	71LB0070B35A	75LB0070B35A	76LB0070B35A	77LB0070B35A
	Low	20x8.0	Frt/Rear	0	4.5	71LP0080B45A	71LB0080B45A	75LB0080B45A	76LB0080B45A	77LB0080B45A
	Low	20x9.0	Rear Only	-13	4.5	71LP0090B45A	71LB0090B45A	75LB0090B45A	76LB0090B45A	77LB0090B45A
	Low	20x10.0	Rear Only	0	5.5	71LP0100B55A	71LB0100B55A	75LB0100B55A	76LB0100B55A	77LB0100B55A

1964-67 Cutlass & 442

1st Gen A-Body 5x4.75 (B) 7/16 Lugs

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	S71 Polished Center Part Number	S71 Black Center Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
15"	Low	15x4	Front	-23	1.6	71LP-504B16A	71LB-504B16A	75LB-504B16A	76LB-504B16A	77LB-504B16A
	Low	15x5.3	Front	-16	2.5	71LP-505B25A	71LB-505B25A	75LB-505B25A	76LB-505B25A	77LB-505B25A
	Low	15x6.3	Front	-3	3.5	71LP-506B35A	71LB-506B35A	75LB-506B35A	76LB-506B35A	77LB-506B35A
	Low	15x7.3	Frt/Rear	-16	3.5	71LP-507B35A	71LB-507B35A	75LB-507B35A	76LB-507B35A	77LB-507B35A
	Low	15x8.3	Rear Only	-3	4.5	71LP-508B45A	71LB-508B45A	75LB-508B45A	76LB-508B45A	77LB-508B45A

17"	Low	17x4.5	Front	-27	1.7	71LP7045B17A	71LB7045B17A	75LB7045B17A	76LB7045B17A	77LB7045B17A
	Low	17x6.0	Front	-15	2.9	71LP7060B30A	71LB7060B30A	75LB7060B30A	76LB7060B30A	77LB7060B30A
	Low	17x7.0	Frt/Rear	-3	3.9	71LP7070B40A	71LB7070B40A	75LB7070B40A	76LB7070B40A	77LB7070B40A
	Low	17x7.5	Rear Only	4	4.4	71LP7075B45A	71LB7075B45A	75LB7075B45A	76LB7075B45A	77LB7075B45A
	Low	17x8.0	Rear Only	10	4.9	71LP7080B50A	71LB7080B50A	75LB7080B50A	76LB7080B50A	77LB7080B50A

18"	Low	18x5.0	Front	-20	2.2	71LP8050B22A	71LB8050B22A	75LB8050B22A	76LB8050B22A	77LB8050B22A
	Low	18x7.0	Frt/Rear	5	4.2	71LP8070B42A	71LB8070B42A	75LB8070B42A	76LB8070B42A	77LB8070B42A
	Low	18x8.0	Rear Only	18	5.2	71LP8080B52A	71LB8080B52A	75LB8080B52A	76LB8080B52A	77LB8080B52A

20"	Low	20x7.5	Rear Only	6	4.5	71LP0075B45A	71LB0075B45A	75LB0075B45A	76LB0075B45A	77LB0075B45A
	Low	20x8.0	Rear Only	13	5.0	71LP0080B50A	71LB0080B50A	75LB0080B50A	76LB0080B50A	77LB0080B50A

1975-79 Omega

3rd Gen X-body 5x4.75" (B) Lugs: 7/16

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	S71 Polished Center Part Number	S71 Black Center Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
15"	Low	15x4	Front	-23	1.6	71LP-504B16A	71LB-504B16A	75LB-504B16A	76LB-504B16A	77LB-504B16A
	Low	15x5.3	Front	-16	2.5	71LP-505B25A	71LB-505B25A	75LB-505B25A	76LB-505B25A	77LB-505B25A
	Low	15x6.3	Front	-3	3.5	71LP-506B35A	71LB-506B35A	75LB-506B35A	76LB-506B35A	77LB-506B35A
	Low	15x7.3	Frt/Rear	-16	3.5	71LP-507B35A	71LB-507B35A	75LB-507B35A	76LB-507B35A	77LB-507B35A
	Low	15x8.3	Rear Only	-3	4.5	71LP-508B45A~	71LB-508B45A~	75LB-508B45A~	76LB-508B45A~	77LB-508B45A~

~May require relocating rear shocks inboard

17"	Low	17x4.5	Front	-27	1.7	71LP7045B17A	71LB7045B17A	75LB7045B17A	76LB7045B17A	77LB7045B17A
	Low	17x7.0	Frnt/Rear	-3	3.9	71LP7070B40A	71LB7070B40A	75LB7070B40A	76LB7070B40A	77LB7070B40A
	Low	17x8.0	Frnt/Rear	-3	4.4	71LP7080B45A	71LB7080B45A	75LB7080B45A	76LB7080B45A	77LB7080B45A
	Low	17x8.5	Rear Only	10	4.9	71LP7085B50A~	71LB7085B50A~	75LB7085B50A~	76LB7085B50A~	77LB7085B50A~

~May require relocating rear shocks inboard

18"	Low	18x5.0	Front	-20	2.2	71LP8050B22A	71LB8050B22A	75LB8050B22A	76LB8050B22A	77LB8050B22A
	Low	18x7.0	Frnt/Rear	5	4.2	71LP8070B42A	71LB8070B42A	75LB8070B42A	76LB8070B42A	77LB8070B42A
	Low	18x7.5	Rear Only	-1	4.2	71LP8075B42A	71LB8075B42A	75LB8075B42A	76LB8075B42A	77LB8075B42A
	Low	18x8.0	Rear Only	5	4.7	71LP8080B47A~	71LB8080B47A~	75LB8080B47A~	76LB8080B47A~	77LB8080B47A~

~May require relocating rear shocks inboard

20"	Low	20x7.0	Front	-13	3.5	71LP0070B35A	71LB0070B35A	75LB0070B35A	76LB0070B35A	77LB0070B35A
	Low	20x7.5	Frnt/Rear	-6	4.0	71LP0075B40A	71LB0075B40A	75LB0075B40A	76LB0075B40A	77LB0075B40A
	Low	20x8.0	Frnt/Rear	0	4.5	71LP0080B45A	71LB0080B45A	75LB0080B45A	76LB0080B45A	77LB0080B45A

1973-74 Omega

2nd Gen X-body 5x4.75" [B] Lugs: 7/16

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	S71 Polished Center Part Number	S71 Black Center Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
15"	Low	15x4	Front	-23	1.6	71LP-504B16A	71LB-504B16A	75LB-504B16A	76LB-504B16A	77LB-504B16A
	Low	15x5.3	Front	-16	2.5	71LP-505B25A	71LB-505B25A	75LB-505B25A	76LB-505B25A	77LB-505B25A
	Low	15x6.3	Front	-3	3.5	71LP-506B35A	71LB-506B35A	75LB-506B35A	76LB-506B35A	77LB-506B35A
	Low	15x7.3	Frnt/Rear	-16	3.5	71LP-507B35A	71LB-507B35A	75LB-507B35A	76LB-507B35A	77LB-507B35A
	Low	15x8.3	Rear Only	-3	4.5	71LP-508B45A	71LB-508B45A	75LB-508B45A	76LB-508B45A	77LB-508B45A

17"	Low	17x4.5	Front	-27	1.7	71LP7045B17A	71LB7045B17A	75LB7045B17A	76LB7045B17A	77LB7045B17A
	Low	17x7.0	Frnt/Rear	-3	3.9	71LP7070B40A	71LB7070B40A	75LB7070B40A	76LB7070B40A	77LB7070B40A
	Low	17x7.5	Rear Only	-9	3.9	71LP7075B40A	71LB7075B40A	75LB7075B40A	76LB7075B40A	77LB7075B40A
	Low	17x8.0	Rear Only	-3	4.4	71LP7080B45A~	71LB7080B45A~	75LB7080B45A~	76LB7080B45A~	77LB7080B45A~

~May require relocating rear shocks inboard

18"	Low	18x5.0	Front	-20	2.2	71LP8050B22A	71LB8050B22A	75LB8050B22A	76LB8050B22A	77LB8050B22A
	Low	18x7.0	Frnt/Rear	-8	3.7	71LP8070B37A	71LB8070B37A	75LB8070B37A	76LB8070B37A	77LB8070B37A
	Low	18x8.0	Rear Only	5	4.7	71LP8080B47A~	71LB8080B47A~	75LB8080B47A~	76LB8080B47A~	77LB8080B47A~

~May require relocating rear shocks inboard

20"	Low	20x7.5	Rear Only	-6	4.0	71LP0075B40A	71LB0075B40A	75LB0075B40A	76LB0075B40A	77LB0075B40A
	Low	20x8.0	Rear Only	0	4.5	71LP8080B45A~	71LB8080B45A~	75LB8080B45A~	76LB8080B45A~	77LB8080B45A~

~May require relocating rear shocks inboard

This fitment guide applies to vehicles with O.E. suspension, wheel wells, and brakes unless otherwise noted.