

RTS Application Guide

CHEVROLET

This fitment guide applies to vehicles with O.E. suspension, wheel wells, and brakes unless otherwise noted.

Other sizes and offsets are available, please call the Sales and Tech Department for more information at 800-788-9353

2010+ Camaro SS & ZL1

2010+ Camaro SS & ZL1

Conical Lugs required

	Pad	Size	Vehicle Location	Offset	Back Space	S71 Black Ctr Part number	S71 Polished Part number	S75 Black Ctr Part number	S76 Black Ctr Part number	S77 Black Ctr Part number
15"	Med	15X10	Rear only	51	7.50	71MB-510N75C*	71MP-510N75C*		76MB-510N75C*	77MB-510N75C*

*Must use Carlyle Racing 15" kit Part number 15-209-1015

17"	High	17x5.0	Front	-21	2.20	71HB7050N22A*	71HP7050N22A*	75HB7050N22A*	76HB7050N22A*	77HB7050N22A*
	High	17X7.0	Front	5	4.20	71HB7070N42A*	71HP7070N42A*	75HB7070N42A*	76HB7070N42A*	77HB7070N42A*
	High	17X8.0	Front	18	5.20	71HB7080N52A*	71HP7080N52A*	75HB7080N52A*	76HB7080N52A*	77HB7080N52A*
	High	17x9.0	Front/Rear	31	6.20	71HB7090N62A*	71HP7090N62A*	75HB7090N62A*	76HB7090N62A*	77HB7090N62A*
	High	17x9.5	Rear only	37	6.70	71HB7095N67A	71HP7095N67A	75HB7095N67A	76HB7095N67A	77HB7095N67A
	High	17x10.0	Rear only	44	7.20	71HB7100N72A~	71HP7100N72A~	75HB7100N72A~	76HB7100N72A~	77HB7100N72A~

* Pad dampers must be removed from calipers (where applicable) or front brake pkg replaced. ZL1: no modifications needed

~ Lowered or stock ride height , replace lower control arm with BMR# TCA28 or TCA29, check clearance on Ebrake cable and swaybar endlinks at ride height.

18"	High	18x5.0	Front	-23	2.10	71HB8050N21A*	71HP8050N21A*	75HB8050N21A*	76HB8050N21A*	77HB8050N21A*
	High	18x7.0	Front	3	4.10	71HB8070N41A*	71HP8070N41A*	75HB8070N41A*	76HB8070N41A*	77HB8070N41A*
	High	18x8.0	Front	15	5.10	71HB8080N51A*	71HP8080N51A*	75HB8080N51A*	76HB8080N51A*	77HB8080N51A*
	High	18x9.0	Front/Rear	28	6.10	71HB8090N61A*	71HP8090N61A*	75HB8090N61A*	76HB8090N61A*	77HB8090N61A*
	High	18x10.0	Rear only	41	7.10	71HB8100N71A	71HP8100N71A	75HB8100N71A	76HB8100N71A	77HB8100N71A
	High	18x10.5	Rear only	47	7.60	71HB8105N76A	71HP8105N76A	75HB8105N76A	76HB8105N76A	77HB8105N76A

* Pad dampers must be removed (where applicable) or front brake pkg replaced. ZL1: no modifications needed

20"	High	20x7.0	Front	8	4.30	71HB0070N43A	71HP0070N43A	75HB0070N43A	76HB0070N43A	77HB0070N43A
	High	20x8.0	Front/Rear	20	5.30	71HB0080N53A	71HP0080N53A	75HB0080N53A	76HB0080N53A	77HB0080N53A
	High	20x9.0	Front/Rear	31	6.30	71HB0090N63A	71HP0090N63A	75HB0090N63A	76HB0090N63A	77HB0090N63A
	High	20x10.0	Rear only	46	7.30	71HB0100N73A	71HP0100N73A	75HB0100N73A	76HB0100N73A	77HB0100N73A
	High	20x10.5	Rear only	52	7.80	71HB0105N78A	71HP0105N78A	75HB0105N78A	76HB0105N78A	77HB0105N78A

2010+ Camaro LS & LT

5x120mm (N)

14mmx1.5 lugs. Conical Lugs required. AlumaStar, Magnum, & V-Series 17x4.5 will also work (shank lug)

	Pad	Size	Vehicle Location	Offset	Back Space	S71 Black Ctr Part number	S71 Polished Part number	S75 Black Ctr Part number	S76 Black Ctr Part number	S77 Black Ctr Part number
17"	Med	17x5.0	Front	8	3.30	71MB7050N33A	71MP7050N33A	75MB7050N33A	76MB7050N33A	77MB7050N33A
	Med	17x7.0	Front	33	5.30	71MB7070N53A	71MP7070N53A	75MB7070N53A	76MB7070N53A	77MB7070N53A
	Med	17x8.0	Front/Rear	46	6.30	71MB7080N63A	71MP7080N63A	75MB7080N63A	76MB7080N63A	77MB7080N63A
	Med	17x9.0	Front/Rear	33	6.30	71MB7090N63A	71MP7090N63A	75MB7090N63A	76MB7090N63A	77MB7090N63A
	Med	17x10.0	Rear only	40	7.30	71MB7100N73A~	71MP7100N73A~	75MB7100N73A~	76MB7100N73A~	77MB7100N73A~

~ Lowered or stock ride height, replace lower control arm with BMR# TCA28 or TCA29

18"	Med	18x5.0	Front	-8	2.70	71MB8050N27A	71MP8050N27A	75MB8050N27A	76MB8050N27A	77MB8050N27A
	Med	18x7.0	Front	5	4.20	71MB8070N42A	71MP8070N42A	75MB8070N42A	76MB8070N42A	77MB8070N42A
	Med	18x8.0	Front	18	5.20	71MB8080N52A	71MP8080N52A	75MB8080N52A	76MB8080N52A	77MB8080N52A
	Med	18x9.0	Front	30	6.20	71MB8090N62A	71MP8090N62A	75MB8090N62A	76MB8090N62A	77MB8090N62A
	Med	18x10.0	Rear only	18	6.20	71MB8100N67A	71MP8100N67A	75MB8100N67A	76MB8100N67A	77MB8100N67A
	Med	18x10.5	Rear only	37	7.20	71MB8105N72A	71MP8105N72A	75MB8105N72A	76MB8105N72A	77MB8105N72A

20"	Med	20x7.0	Front	10	4.40	71MB0070N44A	71MP0070N44A	75MB0070N44A	76MB0070N44A	77MB0070N44A
	Med	20x8.0	Front/Rear	23	5.40	71MB0080N54A	71MP0080N54A	75MB0080N54A	76MB0080N54A	77MB0080N54A
	Med	20x9.0	Front/Rear	36	6.40	71MB0090N64A	71MP0090N64A	75MB0090N64A	76MB0090N64A	77MB0090N64A
	Med	20x10.0	Rear only	48	7.40	71MB0100N74A	71MP0100N74A	75MB0100N74A	76MB0100N74A	77MB0100N74A
	Med	20x10.5	Rear only	55	7.90	71MB0105N79A	71MP0105N79A	75MB0105N79A	76MB0105N79A	77MB0105N79A

1993-2002 Camaro (4th Gen)

5x4.75" (B), 12mmx1.5 lugs

Short mag shank lug for 15" RT-S & 5/8 drive stud acceptable. AlumaStar, Magnum, & V-Series 17x4.5 will also work (shank lug). Conical Lugs req'd 17"/18"/20"

	Pad	Size	Vehicle Location	Offset	Back Space	S71 Black Ctr Part number	S71 Polished Part number	S75 Black Ctr Part number	S76 Black Ctr Part number	S77 Black Ctr Part number
15"	Med	15x4	Front	-26	1.50	71MB-504B15A	71MP-504B15A	75MB-504B15A	76MB-504B15A	77MB-504B15A
	Low	15x4	Front		2.50	71LB-504B25A^	71LP-504B25A^	75LB-504B25A^	76LB-504B25A^	77LB-504B25A^

Front wheel sizes wider than 15x4 will require a 17" or 18" diameter wheel

^ 1998-2002 Models Alternative option: 1/4" spacer req'd, will "tuck" wheel under fender well 1/4" more than Med pad wheel

^ 1993-1997 Models Alternative option: 1/8" spacer req'd, will "tuck" wheel under fender well 7/8" more than Med pad wheel

15"	Med	15x8	Rear only	25	5.50	71MB-508B55A	71MP-508B55A	75MB-508B55A	76MB-508B55A	77MB-508B55A
	Med	15x9	Rear only	37	6.50	71MB-509B65A	71MP-509B65A	75MB-509B65A	76MB-509B65A	77MB-509B65A
	Med	15x10	Rear only	50	7.50	71MB-510B75A	71MP-510B75A	75MB-510B75A	76MB-510B75A	77MB-510B75A

17"	Med	17x4.5	Front	-14	2.20	71MB7045B22A	71MP7045B22A	75MB7045B22A	76MB7045B22A	77MB7045B22A
	Med	17x7.0	Front	20	4.80	71MB7070B48A	71MP7070B48A	75MB7070B48A	76MB7070B48A	77MB7070B48A
	Med	17x8.0	Front/Rear	33	5.80	71MB7080B58A	71MP7080B58A	75MB7080B58A	76MB7080B58A	77MB7080B58A
	Med	17x9.5	Front/Rear	52	7.30	71MB7095B73A	71MP7095B73A	75MB7095B73A	76MB7095B73A	77MB7095B73A
	Med	17x10.0	Rear only	46	7.30	71MB7100B73A	71MP7100B73A	75MB7100B73A	76MB7100B73A	77MB7100B73A
	Med	17x10.5	Rear only	52	7.80	71MB7105B78A	71MP7105B78A	75MB7105B78A	76MB7105B78A	77MB7105B78A
	Med	17x11.0	Rear only	46	7.80	71MB7110B78A*	71MP7110B78A*	75MB7110B78A*	76MB7110B78A*	77MB7110B78A*

* Tire brands vary in width, the jounce snubber may need trimming, the rear axle may need centered with an aftermarket adjustable panhard rod. It depends on the car.

18"	Med	18x5.0	Front	-8	2.70	71MB8050B27A	71MP8050B27A	75MB8050B27A	76MB8050B27A	77MB8050B27A
	Med	18x7.0	Front	18	4.70	71MB8070B47A	71MP8070B47A	75MB8070B47A	76MB8070B47A	77MB8070B47A
	Med	18x8.0	Front/Rear	30	5.70	71MB8080B57A	71MP8080B57A	75MB8080B57A	76MB8080B57A	77MB8080B57A
	Med	18x9.0	Front/Rear	43	6.70	71MB8090B67A	71MP8090B67A	75MB8090B67A	76MB8090B67A	77MB8090B67A
	Med	18x10.0	Rear only	43	7.20	71MB8100B72A	71MP8100B72A	75MB8100B72A	76MB8100B72A	77MB8100B72A
	Med	18x10.5	Rear only	50	7.70	71MB8105B77A	71MP8105B77A	75MB8105B77A	76MB8105B77A	77MB8105B77A
	Med	18x11	Rear only	56	8.20	71MB8110B82A*	71MP8110B82A*	75MB8110B82A*	76MB8110B82A*	77MB8110B82A*

* Tire brands vary in width, the jounce snubber may need trimming, the rear axle may need centered with an aftermarket adjustable panhand rod. It depends on the car.

20"	Med	20x9.5	Rear only	29	6.40	71LB0095B64A	71LP0095B64A	75LB0095B64A	76LB0095B64A	77LB0095B64A
	Med	20x10.0	Rear only	36	6.90	71LB0100B69A	71LP0100B69A	75LB0100B69A	76LB0100B69A	77LB0100B69A
	Med	20x10.5	Rear only	42	7.40	71LB0105B74A	71LP0105B74A	75LB0105B74A	76LB0105B74A	77LB0105B74A
	Med	20x11.0	Rear only	49	7.90	71LB0110B79A	71LP0110B79A	75LB0110B79A	76LB0110B79A	77LB0110B79A

1982-1992 Camaro & 1LE (3rd Gen)

5x4.75" (B), 12mmx1.5 lugs

Short mag shank lug for 15" RT-S & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad	Size	Vehicle Location	Offset	Back Space	S71 Black Ctr Part number	S71 Polished Part number	S75 Black Ctr Part number	S76 Black Ctr Part number	S77 Black Ctr Part number
15"	Low	15x4.0	Front	-23	1.63	71LB-504B16A	71LP-504B16A	75LB-504B16A	76LB-504B16A	77LB-504B16A
	Low	15x5.3	Front	-16	2.50	71LB-505B25A	71LP-505B25A	75LB-505B25A	76LB-505B25A	77LB-505B25A
	Low	15x6.3	Front	-3	3.50	71LB-506B35A	71LP-506B35A	75LB-506B35A	76LB-506B35A	77LB-506B35A
	Low	15x7.3	Front	10	4.50	71LB-507B45A	71LP-507B45A	75LB-507B45A	76LB-507B45A	77LB-507B45A
	Low	15x8.3	Front/Rear	-4	4.50	71LB-508B45A	71LP-508B45A	75LB-508B45A	76LB-508B45A	77LB-508B45A
	Low	15x9.3	Rear only	10	5.50	71LB-509B55A	71LP-509B55A	75LB-509B55A	76LB-509B55A	77LB-509B55A
	Low	15x10.3	Rear only	-4	5.50	71LB-510B55A	71LP-510B55A	75LB-510B55A	76LB-510B55A	77LB-510B55A

17"	Low	17x4.5	Front	-27	1.70	71LB7045B17A	71LP7045B17A	75LB7045B17A	76LB7045B17A	77LB7045B17A
	Low	17x7.0	Front	10	4.40	71LB7070B45A	71LP7070B45A	75LB7070B45A	76LB7070B45A	77LB7070B45A
	Low	17x8.0	Front/Rear	10	4.90	71LB7080B50A	71LP7080B50A	75LB7080B50A	76LB7080B50A	77LB7080B50A
	Low	17x9.5	Front/Rear	4	5.40	71LB7095B55A^	71LP7095B55A^	75LB7095B55A^	76LB7095B55A^	77LB7095B55A^
	Low	17x10.0	Rear only	-3	5.40	71LB7100B55A	71LP7100B55A	75LB7100B55A	76LB7100B55A	77LB7100B55A
	Low	17x10.5	Rear only	4	5.90	71LB7105B60A	71LP7105B60A	75LB7105B60A	76LB7105B60A	77LB7105B60A
	Low	17x11.0	Rear only	10	6.40	71LB7110B65A*	71LP7110B65A*	75LB7110B65A*	76LB7110B65A*	77LB7110B65A*

^ Test fit wheel on car before mounting tire.

* Tire brands vary in width, the jounce snubber may need trimming, the rear axle may need centered with an aftermarket adjustable panhand rod. It depends on the car.

18"	Low	18x5.0	Front	-8	2.70	71LB8050B27A	71LP8050B27A	75LB8050B27A	76LB8050B27A	77LB8050B27A
	Low	18x7.0	Front	-8	3.70	71LB8070B37A	71LP8070B37A	75LB8070B37A	76LB8070B37A	77LB8070B37A
	Low	18x8.0	Front/Rear	5	4.70	71LB8080B47A	71LP8080B47A	75LB8080B47A	76LB8080B47A	77LB8080B47A
	Low	18x9.5	Front/Rear	11	5.70	71LB8095B57A^	71LP8095B57A^	75LB8095B57A^	76LB8095B57A^	77LB8095B57A^
	Low	18x10.0	Rear only	5	5.70	71LB8100B57A	71LP8100B57A	75LB8100B57A	76LB8100B57A	77LB8100B57A
	Low	18x10.5	Rear only	11	6.20	71LB8105B62A	71LP8105B62A	75LB8105B62A	76LB8105B62A	77LB8105B62A
	Low	18x11.0	Rear only	18	6.70	71LB8110B67A*	71LP8110B67A*	75LB8110B67A*	76LB8110B67A*	77LB8110B67A*

^ Test fit wheel on car before mounting tire.

* Tire brands vary in width, the jounce snubber may need trimming, the rear axle may need centered with an aftermarket adjustable panhand rod. It depends on the car.

20"	Low	20x9.0	Rear only	-13	4.50	71LB0090B45A	71LP0090B45A	75LB0090B45A	76LB0090B45A	77LB0090B45A
	Low	20x10.0	Rear only	0	5.50	71LB0100B55A	71LP0100B55A	75LB0100B55A	76LB0100B55A	77LB0100B55A
	Low	20x10.5	Rear only	6	6.00	71LB0105B60A	71LP0105B60A	75LB0105B60A	76LB0105B60A	77LB0105B60A
	Low	20x11.0	Rear only	13	6.50	71LB0110B65A	71LP0110B65A	75LB0110B65A	76LB0110B65A	77LB0110B65A

1970.5-1981 Camaro (2nd Gen)

5x4.75" (B) 7/16 llugs

Short mag shank lug for 15" RT-S & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad	Size	Vehicle Location	Offset	Back Space	S71 Black Ctr Part number	S71 Polished Part number	S75 Black Ctr Part number	S76 Black Ctr Part number	S77 Black Ctr Part number
15"	Low	15x4	Front	-22	1.63	71LB-504B16A	71LP-504B16A	75LB-504B16A	76LB-504B16A	77LB-504B16A
	Low	15X5.3	Front	-16	2.50	71LB-505B25A	71LP-505B25A	75LB-505B25A	76LB-505B25A	77LB-505B25A
	Low	15X6.3	Front	-3	3.50	71LB-506B35A	71LP-506B35A	75LB-506B35A	76LB-506B35A	77LB-506B35A
	Low	15X7.3	Front	-16	3.50	71LB-507B35A	71LP-507B35A	75LB-507B35A	76LB-507B35A	77LB-507B35A
	Low	15x8.3	Front/Rear	-3	4.50	71LB-508B45A	71LP-508B45A	75LB-508B45A	76LB-508B45A	77LB-508B45A
	Low	15X9.3	Rear only	10	5.50	71LB-509B55A	71LP-509B55A	75LB-509B55A	76LB-509B55A	77LB-509B55A
	Low	15x10	Rear only	-1	5.50	71LB-510B55A	71LP-510B55A	75LB-510B55A	76LB-510B55A	77LB-510B55A

17"	Low	17x4.5	Front	-27	1.70	71LB7045B17A	71LP7045B17A	75LB7045B17A	76LB7045B17A	77LB7045B17A
	Low	17x7.0	Front	-3	3.90	71LB7070B40A	71LP7070B40A	75LB7070B40A	76LB7070B40A	77LB7070B40A
	Low	17x8.0	Front/Rear	10	4.90	71LB7080B50A	71LP7080B50A	75LB7080B50A	76LB7080B50A	77LB7080B50A
	Low	17x9.0	Front/Rear	10	5.40	71LB7090B55A~	71LP7090B55A~	75LB7090B55A~	76LB7090B55A~	77LB7090B55A~
	Low	17x9.5	Rear only	4	5.40	71LB7095B55A	71LP7095B55A	75LB7095B55A	76LB7095B55A	77LB7095B55A
	Low	17x10.0	Rear only	10	5.90	71LB7100B60A	71LP7100B60A	75LB7100B60A	76LB7100B60A	77LB7100B60A
	Low	17x10.5	Rear only	4	5.90	71LB7105B60A*	71LP7105B60A*	75LB7105B60A*	76LB7105B60A*	77LB7105B60A*

~ May require upper a-arm modification or tubular upper a-arm to prevent inside wheel lip contact at full turning angle of front wheels

* Measure tire under vehicle before mounting, 1973-1981 Cars may require removal of rear seat belt retractors to allow flattening of bulge in wheel well for clearance

18"	Low	18x4.5	Front	-14	2.20	71LB8045B22A	71LP8045B22A	75LB8045B22A	76LB8045B22A	77LB8045B22A
	Low	18x7.0	Front	-20	3.20	71LB8070B32A	71LP8070B32A	75LB8070B32A	76LB8070B32A	77LB8070B32A
	Low	18x8.0	Front/Rear	-8	4.20	71LB8080B42A	71LP8080B42A	75LB8080B42A	76LB8080B42A	77LB8080B42A
	Low	18x9.0	Front/Rear	5	5.20	71LB8090B52A	71LP8090B52A	75LB8090B52A	76LB8090B52A	77LB8090B52A
	Low	18x9.5	Front/Rear	11	5.70	71LB8095B57A~	71LP8095B57A~	75LB8095B57A~	76LB8095B57A~	77LB8095B57A~
	Low	18X10.0	Rear only	18	6.20	71LB8100B62A	71LP8100B62A	75LB8100B62A	76LB8100B62A	77LB8100B62A
	Low	18x10.5	Rear only	11	6.20	71LB8105B62A*	71LP8105B62A*	75LB8105B62A*	76LB8105B62A*	77LB8105B62A*

~ May require upper a-arm modification or tubular upper a-arm to prevent inside wheel lip contact at full turning angle of front wheels

* Measure tire under vehicle before mounting, 1973-1981 Cars may require removal of rear seat belt retractors to allow flattening of bulge in wheel well for clearance

20"	Low	20x7.0	Front	0	4.00	71LB0070B40A	71LP0070B40A	75LB0070B40A	76LB0070B40A	77LB0070B40A
	Low	20x8.0	Front	0	4.50	71LB0080B45A	71LP0080B45A	75LB0080B45A	76LB0080B45A	77LB0080B45A
	Low	20x8.5	Front	6	5.00	71LB0085B50A	71LP0085B50A	75LB0085B50A	76LB0085B50A	77LB0085B50A
	Low	20x9.0	Rear only	0	5.00	71LB0090B50A	71LP0090B50A	75LB0090B50A	76LB0090B50A	77LB0090B50A
	Low	20x10.0	Rear only	0	5.50	71LB0100B55A	71LP0100B55A	75LB0100B55A	76LB0100B55A	77LB0100B55A

1967-1969 Camaro (1st Gen)

5x4.75" (B) 7/16 lugs

Short mag shank lug for 15" RT-S & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20".

	Pad	Size	Vehicle Location	Offset	Back Space	S71 Black Ctr Part number	S71 Polished Part number	S75 Black Ctr Part number	S76 Black Ctr Part number	S77 Black Ctr Part number
15"	Low	15x4	Front	-21	1.63	71LB-504B16A	71LP-504B16A	75LB-504B16A	76LB-504B16A	77LB-504B16A
	Low	15x5.3	Front	-16	2.50	71LB-505B25A	71LP-505B25A	75LB-505B25A	76LB-505B25A	77LB-505B25A
	Low	15x6.3	Front	-3	3.50	71LB-506B35A	71LP-506B35A	75LB-506B35A	76LB-506B35A	77LB-506B35A
	Low	15x7.3	Front	-16	3.50	71LB-507B35A	71LP-507B35A	75LB-507B35A	76LB-507B35A	77LB-507B35A
	Low	15x8.3	Front/Rear	-3	4.50	71LB-508B45A	71LP-508B45A	75LB-508B45A	76LB-508B45A	77LB-508B45A
	Low	15x9.3	Rear only	10	5.50	71LB-509B55A*	71LP-509B55A*	75LB-509B55A*	76LB-509B55A*	77LB-509B55A*

* May require relocating rear shocks inboard

17"	Low	17x4.5	Front	-27	1.70	71LB7045B17A	71LP7045B17A	75LB7045B17A	76LB7045B17A	77LB7045B17A
	Low	17x7.0	Front	-3	3.90	71LB7070B40A	71LP7070B40A	75LB7070B40A	76LB7070B40A	77LB7070B40A
	Low	17x7.5	Front	-9	3.90	71LB7075B40A	71LP7075B40A	75LB7075B40A	76LB7075B40A	77LB7075B40A
	Low	17x8.0	Front/Rear	-3	4.40	71LB7080B45A	71LP7080B45A	75LB7080B45A	76LB7080B45A	77LB7080B45A
	Low	17x9.0	Rear only	10	5.40	71LB7090B55A*	71LP7090B55A*	75LB7090B55A*	76LB7090B55A*	77LB7090B55A*

* May require relocating rear shocks inboard

18"	Low	18x4.5	Front	-14	2.20	71LB8045B22A	71LP8045B22A	75LB8045B22A	76LB8045B22A	77LB8045B22A
	Low	18x7.0	Front	5	4.20	71LB8070B42A	71LP8070B42A	75LB8070B42A	76LB8070B42A	77LB8070B42A
	Low	18x8.0	Front	5	4.70	71LB8080B47A	71LP8080B47A	75LB8080B47A	76LB8080B47A	77LB8080B47A
	Low	18x8.5	Rear only	11	5.20	71LB8085B52A	71LP8085B52A	75LB8085B52A	76LB8085B52A	77LB8085B52A
	Low	18x9.0	Rear only	18	5.70	71LB8090B57A*	71LP8090B57A*	75LB8090B57A*	76LB8090B57A*	77LB8090B57A*

* May require relocating rear shocks inboard

20"	Low	20x8.0	Rear only	0	4.50	71LB0080B45A	71LP0080B45A	75LB0080B45A	76LB0080B45A	77LB0080B45A
	Low	20x8.5	Rear only	6	5.00	71LB0085B50A	71LP0085B50A	75LB0085B50A	76LB0085B50A	77LB0085B50A
	Low	20x9.0	Rear only	13	5.50	71LB0090B55A*	71LP0090B55A*	75LB0090B55A*	76LB0090B55A*	77LB0090B55A*

* May require relocating rear shocks inboard

C7 Corvette 2014+

20" WHEELS AVAILABLE IN GT-S STYLES

	Pad	Size	Vehicle Location	Offset	Back Space	S71 Black Ctr Part number	S71 Polished Part number	S76 Black Ctr Part number	S77 Black Ctr Part number
15"	Med	15x10	Rear only		7.5	71MB-510B75A*	71MP-510B75A*	76MB-510B75A*	77MB-510B75A*

*Requires CarlyleRacing 15" Conversion kit 15-209-C7-14

**15" wheel will exceed the fender by 1/4"

17"	Med	17x10	Rear only		8.80	71MB-710B88A*	71MP-710B88A*	76MB-710B88A*	77MB-710B88A*
-----	-----	-------	-----------	--	------	---------------	---------------	---------------	---------------

*Requires CarlyleRacing 17" Conversion kit 17-209-C7-14

18"	Med	18x10	Rear only		8.80	71MB-810B88A*	71MP-810B88A*	76MB-810B88A*	77MB-810B88A*
-----	-----	-------	-----------	--	------	---------------	---------------	---------------	---------------

2014 - 2016 C7 Corvette Widebody

Base C7 cars can accept Alumastars with 1/2" spacer and studs

	Pad	Size	Vehicle Location	Offset	Back Space	S71 Black Ctr Part number	S71 Polished Part number	S75 Black Ctr Part number	S76 Black Ctr Part number	S77 Black Ctr Part number
15"	Med	15X10	Rear only		7.50	71MB-510B75A*	71MP-510B75A*		76MB-510B75A*	77Mb-510B75A*

*Requires CarlyleRacing 15" Conversion kit 15-209-C7-14

17"	Med	17x10	Rear only	Same as C6Z with Conversion Kit						
	Med	17X10.5	Rear only							
	Med	17X11	Rear only							

*Requires CarlyleRacing 17" Conversion kit 17-209-C7-14

18"	Med	18x10	Rear only	Same as C6Z with Conversion Kit						
	Med	18x10.5	Rear only							
	Med	18x11	Rear only							
	Med	18x12	Rear only							

Corvette ZR1 & Z51 1996+

NOTHING AVAILABLE AT THIS TIME.

2005-2013 Corvette C6 Base (Not Z06), 1997-2004 Corvette C5 Base (Not Z06)

12mmx1.5 lugs

Short mag shank lug for 15" RT-S & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

Front Base model cars take the same wheels as C6 Base model cars but require 1/2" spacer and studs. They do exceed the lip by about 1/4"

	Pad	Size	Vehicle Location	Offset	Back Space	S71 Black Ctr Part number	S71 Polished Part number	S75 Black Ctr Part number	S76 Black Ctr Part number	S77 Black Ctr Part number
15"	Med	15x10	Rear only	50	7.50	71MB-510B75A*	71MP-510B75A*	75MB-510B75A*	76MB-510B75A*	77MB-510B75A*

Must use LG Motorsports drag spindles #2265.

17"	Med	17x5.0	Front	8	3.30	71MB7050B33A*	71MP7050B33A*	75MB7050B33A*	76MB7050B33A*	77MB7050B33A*
	Med	17x7.0	Front	33	5.30	71MB7070B53A*	71MP7070B53A*	75MB7070B53A*	76MB7070B53A*	77MB7070B53A*
	Med	17x8.0	Front	46	6.30	71MB7080B63A*	71MP7080B63A*	75MB7080B63A*	76MB7080B63A*	77MB7080B63A*
	Med	17x9.0	Front	58	7.30	71MB7090B73A*	71MP7090B73A*	75MB7090B73A*	76MB7090B73A*	77MB7090B73A*
	Med	17x10.5	Rear only	65	8.30	71MB7105B83A**	71MP7105B83A**	75MB7105B83A**	76MB7105B83A**	77MB7105B83A**
	Med	17x10.5	Rear only	77	8.80	71MB7105B88A	71MP7105B88A	75MB7105B88A	76MB7105B88A	77MB7105B88A
	Med	17x11.0	Rear only	71	8.80	71MB7110B88A^	71MP7110B88A^	75MB7110B88A^	76MB7110B88A^	77MB7110B88A^

* Requires 5-6mm (.197"-.236") spacer to clear brakes & wheel will exceed outer fender lip by 9 mm (.375")

^ Watch Tire size

** Denotes application for 1997-2004 C5, this is widest allowed rear wheel - 17x10.5 with 8.3BS (65mm offset)

18"	Med	18x5.0	Front	5	3.20	71MB8050B32A*	71MP8050B32A*	75MB8050B32A*	76MB8050B32A*	77MB8050B32A*
	Med	18x7.0	Front	30	5.20	71MB8070B52A*	71MP8070B52A*	75MB8070B52A*	76MB8070B52A*	77MB8070B52A*
	Med	18x8.0	Front	43	6.20	71MB8080B62A*	71MP8080B62A*	75MB8080B62A*	76MB8080B62A*	77MB8080B62A*
	Med	18x8.5	Front	50	6.70	71MB8085B67A*	71MP8085B67A*	75MB8085B67A*	76MB8085B67A*	77MB8085B67A*
	Med	18x10.0	Rear only	69	8.20	71MB8100B82A	71MP8100B82A	75MB8100B82A	76MB8100B82A	77MB8100B82A
	Med	18x10.5	Rear only	75	8.70	71MB8105B87A^	71MP8105B87A^	75MB8105B87A^	76MB8105B87A^	77MB8105B87A^

* Requires 3mm spacer on front, Wheel will exceed outer fender lip by 6 mm (250")

^ Watch Tire size

20"	Med	20x10.0	Rear only	61	7.90	71MB0100B79A	71MP0100B79A	75MB0100B79A	76MB0100B79A	77MB0100B79A
	Med	20x10.5	Rear only	67	8.40	71MB0105B84A^	71MP0105B84A^	75MB0105B84A^	76MB0105B84A^	77MB0105B84A^

^ Watch Tire size

2005-2013 Corvette C6 Z06

12mmx1.5 lugs.

Short mag shank lug for 15" RT-S & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

C7Z and widebody cars will accept Alumastars with CarlyleRacing front conversion kit 17F-zspace

	Pad	Size	Vehicle Location	Offset	Back Space	S71 Black Ctr Part number	S71 Polished Part number	S75 Black Ctr Part number	S76 Black Ctr Part number	S77 Black Ctr Part number
15"	Med	15x10	Rear only	50	7.50	71MB-510B75A*	71MP-510B75A*	75MB-510B75A*	76MB-510B75A*	77MB-510B75A*

* Must use LG Motorsports drag spindles #2265.

17"	High	17x5.0	Front	-23	2.20	71HB7050B22A	71HP7050B22A	75HB7050B22A	76HB7050B22A	77HB7050B22A
	High	17x7.0	Front	5	4.20	71HB7070B42A	71HP7070B42A	75HB7070B42A	76HB7070B42A	77HB7070B42A
	High	17x8.0	Front	18	5.20	71HB7080B52A	71HP7080B52A	75HB7080B52A	76HB7080B52A	77HB7080B52A
	High	17x9.0	Front	30	6.20	71HB7090B62A	71HP7090B62A	75HB7090B62A	76HB7090B62A	77HB7090B62A
	High	17x10.0	Front/Rear	43	7.20	71HB7100B72A*	71HP7100B72A*	75HB7100B72A*	76HB7100B72A*	77HB7100B72A*
	High	17x10.5	Rear only	37	7.20	71HB7105B72A*	71HP7105B72A*	75HB7105B72A*	76HB7105B72A*	77HB7105B72A*
	High	17x11.0	Rear only	43	7.70	71HB7110B77A*	71HP7110B77A*	75HB7110B77A*	76HB7110B77A*	77HB7110B77A*

*When used on rear of vehicle a larger OD rear tire is required to meet ASR (Automatic Slip Regulation) when using 17" frt

18"	High	18x5.0	Front	-23	2.10	71HB8050B21A	71HP8050B21A	75HB8050B21A	76HB8050B21A	77HB8050B21A
	High	18x7.0	Front	3	4.10	71HB8070B41A	71HP8070B41A	75HB8070B41A	76HB8070B41A	77HB8070B41A
	High	18x8.0	Front	15	5.10	71HB8080B51A	71HP8080B51A	75HB8080B51A	76HB8080B51A	77HB8080B51A
	High	18x10.0	Front	41	7.10	71HB8100B71A	71HP8100B71A	75HB8100B71A	76HB8100B71A	77HB8100B71A
	High	18x10.5	Rear only	34	7.10	71HB8105B71A*	71HP8105B71A*	75HB8105B71A*	76HB8105B71A*	77HB8105B71A*
	High	18x11.0	Rear only	43	7.70	71HB8110B76A*	71HP8110B76A*	75HB8110B76A*	76HB8110B76A*	77HB8110B76A*

*When used on rear of vehicle a larger OD rear tire is required to meet ASR (Automatic Slip Regulation) when using 18" frt

20"	Med	20x10.5	Rear only	42	7.40	71MB0105B74A	71MP0105B74A	75MB0105B74A	76MB0105B74A	77MB0105B74A
	Med	20x11.0	Rear only	48	7.90	71MB0110B79A	71MP0110B79A	75MB0110B79A	76MB0110B79A	77MB0110B79A
	Med	20x11.5	Rear only	55	8.40	71MB0115B84A	71MP0115B84A	75MB0115B84A	76MB0115B84A	77MB0115B84A

2001-2004 Corvette C5 Z06

5x4.75" (B) 12mmx1.5 lugs. Short mag shank lug for 15" RT-S & 5/8 drive stud acceptable. AlumaStar, Magnum, & V-Series 17x4.5 will also work (shank lug)
Conical Lugs req'd 17"/18"/20"

	Pad	Size	Vehicle Location	Offset	Back Space	S71 Black Ctr Part number	S71 Polished Part number	S75 Black Ctr Part number	S76 Black Ctr Part number	S77 Black Ctr Part number
15"	Med	15x10	Rear only	50	7.50	71MB-510B75A*	71MP-510B75A*	75MB-510B75A*	76MB-510B75A*	77MB-510B75A*

Must use LG Motorsports drag spindles #2265 & C5 or C6 brake rotor & caliper

17"	Med	17x5.0	Front	8	3.30	71MB7050B33A~	71MP7050B33A~	75MB7050B33A~	76MB7050B33A~	77MB7050B33A~
	Med	17x7.0	Front	33	5.30	71MB7070B53A~	71MP7070B53A~	75MB7070B53A~	76MB7070B53A~	77MB7070B53A~
	Med	17x8.0	Front	33	5.80	71MB7080B58A~	71MP7080B58A~	75MB7080B58A~	76MB7080B58A~	77MB7080B58A~
	Med	17x9.0	Front	58	7.30	71MB7090B73A~	71MP7090B73A~	75MB7090B73A~	76MB7090B73A~	77MB7090B73A~
	Med	17x9.5	Front	65	7.80	71MB7095B78A~	71MP7095B78A~	75MB7095B78A~	76MB7095B78A~	77MB7095B78A~
	Med	17x10.0	Rear only	58	7.80	71MB7100B78A*	71MP7100B78A*	75MB7100B78A*	76MB7100B78A*	77MB7100B78A*
	Med	17x10.5	Rear only	65	8.30	71MB7105B83A	71MP7105B83A	75MB7105B83A	76MB7105B83A	77MB7105B83A

~ Requires 5-6mm (.197"-.236") spacer to clear brakes

*When used on rear of vehicle a larger OD rear tire is required to meet ASR (Automatic Slip Regulation) when using 17" frt

18"	Med	18x5.0	Front	5	3.20	71MB8050B32A	71MP8050B32A	75MB8050B32A	76MB8050B32A	77MB8050B32A
	Med	18x7.0	Front	30	5.20	71MB8070B52A	71MP8070B52A	75MB8070B52A	76MB8070B52A	77MB8070B52A
	Med	18x8.0	Front	43	6.20	71MB8080B62A	71MP8080B62A	75MB8080B62A	76MB8080B62A	77MB8080B62A
	Med	18x9.5	Front	62	7.70	71MB8095B77A	71MP8095B77A	75MB8095B77A	76MB8095B77A	77MB8095B77A
	Med	18x10.0	Rear only	56	7.70	71MB8100B77A*	71MP8100B77A*	75MB8100B77A*	76MB8100B77A*	77MB8100B77A*
	Med	18x10.5	Rear only	62	8.20	71MB8105B82A*	71MP8105B82A*	75MB8105B82A*	76MB8105B82A*	77MB8105B82A*

*When used on rear of vehicle a larger OD rear tire is required to meet ASR (Automatic Slip Regulation) when using 18" frt

20"	Med	20x10.0	Rear only	61	7.90	71MB0100B79A	71MP0100B79A	75MB0100B79A	76MB0100B79A	77MB0100B79A
	Med	20x10.5	Rear only	67	8.40	71MB0105B84A	71MP0105B84A	75MB0105B84A	76MB0105B84A	77MB0105B84A

1988-1996 Corvette C4 Coupe

5x4.75" (B) 12mmx1.5 lugs. Not ZR-1. Convertible: Maximum rear width = 10.5" wide
Conical Lugs req'd 17"/18"/20"

	Pad	Size	Vehicle Location	Offset	Back Space	S71 Black Ctr Part number	S71 Polished Part number	S75 Black Ctr Part number	S76 Black Ctr Part number	S77 Black Ctr Part number
17"	Med	17x4.7	Front	1	2.90	71MB7047B29A	71MP7047B29A	75MB7047B29A	76MB7047B29A	77MB7047B29A
	Med	17x7.0	Front	33	5.30	71MB7070B53A	71MP7070B53A	75MB7070B53A	76MB7070B53A	77MB7070B53A
	Med	17x8.0	Front	46	6.30	71MB7080B63A	71MP7080B63A	75MB7080B63A	76MB7080B63A	77MB7080B63A
	Med	17x9.5	Front	52	7.80	71MB7095B78A	71MP7095B78A	75MB7095B78A	76MB7095B78A	77MB7095B78A
	Med	17x10.5	Rear only	39	7.30	71MB7105B73A*	71MP7105B73A*	75MB7105B73A*	76MB7105B73A*	77MB7105B73A*
	Med	17x11.0	Rear only	46	7.80	71MB7110B78A*	71MP7110B78A*	75MB7110B78A*	76MB7110B78A*	77MB7110B78A*

*When used on rear of vehicle, a larger OD rear tire is required to meet ASR (Automatic Slip Regulation) when using 17" frt on 1992+

18"	Med	18x5.0	Front	5	3.20	71MB8050B32A	71MP8050B32A	75MB8050B32A	76MB8050B32A	77MB8050B32A
	Med	18x7.0	Front	30	5.20	71MB8070B52A	71MP8070B52A	75MB8070B52A	76MB8070B52A	77MB8070B52A
	Med	18x8.0	Front	43	6.20	71MB8080B62A	71MP8080B62A	75MB8080B62A	76MB8080B62A	77MB8080B62A
	Med	18x9.0	Front	56	7.20	71MB8090B72A	71MP8090B72A	75MB8090B72A	76MB8090B72A	77MB8090B72A
	Med	18x9.5	Front	62	7.70	71MB8095B77A	71MP8095B77A	75MB8095B77A	76MB8095B77A	77MB8095B77A
	Med	18x10.5	Rear only	50	7.70	71MB8105B77A*	71MP8105B77A*	75MB8105B77A*	76MB8105B77A*	77MB8105B77A*
	Med	18x11.0	Rear only	56	8.20	71MB8110B82A*	71MP8110B82A*	75MB8110B82A*	76MB8110B82A*	77MB8110B82A*

*When used on rear of vehicle, a larger OD rear tire is required to meet ASR (Automatic Slip Regulation) when using 18" frt on 1992+

20"	Med	20x7.0	Front	10	4.40	71MB0070B44A~	71MP0070B44A~	75MB0070B44A~	76MB0070B44A~	77MB0070B44A~
	Med	20x8.0	Front	23	5.40	71MB0080B54A~	71MP0080B54A~	75MB0080B54A~	76MB0080B54A~	77MB0080B54A~
	Med	20x9.0	Front	36	6.40	71MB0090B64A~	71MP0090B64A~	75MB0090B64A~	76MB0090B64A~	77MB0090B64A~
	Med	20x9.5	Front	42	6.90	71MB0095B69A~	71MP0095B69A~	75MB0095B69A~	76MB0095B69A~	77MB0095B69A~
	Med	20x10.5	Rear only	42	7.40	71MB0105B74A	71MP0105B74A	75MB0105B74A	76MB0105B74A	77MB0105B74A
	Med	20x11.0	Rear only	48	7.90	71MB0110B79A	71MP0110B79A	75MB0110B79A	76MB0110B79A	77MB0110B79A

~ 26" maximum tire outside diameter on 20" diameter front wheel

1990-1995 Corvette C4 ZR-1

5x4.75" (B) 12mmx1.5 lugs

Conical Lugs req'd 17"/18"/20"

	Pad	Size	Vehicle Location	Offset	Back Space	S71 Black Ctr Part number	S71 Polished Part number	S75 Black Ctr Part number	S76 Black Ctr Part number	S77 Black Ctr Part number
17"	Med	17x4.7	Front	1	2.90	71MB7047B29A	71MP7047B29A	75MB7047B29A	76MB7047B29A	77MB7047B29A
	Med	17x7.0	Front	33	5.30	71MB7070B53A	71MP7070B53A	75MB7070B53A	76MB7070B53A	77MB7070B53A
	Med	17x8.0	Front	46	6.30	71MB7080B63A	71MP7080B63A	75MB7080B63A	76MB7080B63A	77MB7080B63A
	Med	17x9.0	Front/Rear	58	7.30	71MB7090B73A*	71MP7090B73A*	75MB7090B73A*	76MB7090B73A*	77MB7090B73A*
	Med	17x9.5	Front/Rear	52	7.80	71MB7095B78A*	71MP7095B78A*	75MB7095B78A*	76MB7095B78A*	77MB7095B78A*
	Med	17x10.5	Rear only	39	7.30	71MB7105B73A*	71MP7105B73A*	75MB7105B73A*	76MB7105B73A*	77MB7105B73A*
	Med	17x11.0	Rear only	46	7.80	71MB7110B78A*	71MP7110B78A*	75MB7110B78A*	76MB7110B78A*	77MB7110B78A*

*When used on rear of vehicle, a larger OD rear tire is required to meet ASR (Automatic Slip Regulation) when using 17" frt on 1992+

18"	Med	18x5.0	Front	5	3.20	71MB8050B32A	71MP8050B32A	75MB8050B32A	76MB8050B32A	77MB8050B32A
	Med	18x7.0	Front	30	5.20	71MB8070B52A	71MP8070B52A	75MB8070B52A	76MB8070B52A	77MB8070B52A
	Med	18x8.0	Front	43	6.20	71MB8080B62A	71MP8080B62A	75MB8080B62A	76MB8080B62A	77MB8080B62A
	Med	18x9.0	Front	56	7.20	71MB8090B72A	71MP8090B72A	75MB8090B72A	76MB8090B72A	77MB8090B72A
	Med	18x9.5	Front	62	7.70	71MB8095B77A	71MP8095B77A	75MB8095B77A	76MB8095B77A	77MB8095B77A
	Med	18x10.5	Rear only	50	7.70	71MB8105B77A*	71MP8105B77A*	75MB8105B77A*	76MB8105B77A*	77MB8105B77A*
	Med	18x11.0	Rear only	56	8.20	71MB8110B82A*	71MP8110B82A*	75MB8110B82A*	76MB8110B82A*	77MB8110B82A*

*When used on rear of vehicle, a larger OD rear tire is required to meet ASR (Automatic Slip Regulation) when using 18" frt on 1992+

20"	Med	20x10.0	Rear only	36	6.90	71MB0100B69A	71MP0100B69A	75MB0100B69A	76MB0100B69A	77MB0100B69A
	Med	20x10.5	Rear only	42	7.40	71MB0105B74A	71MP0105B74A	75MB0105B74A	76MB0105B74A	77MB0105B74A
	Med	20x11.0	Rear only	48	7.90	71MB0110B79A	71MP0110B79A	75MB0110B79A	76MB0110B79A	77MB0110B79A

1984-1987 Corvette C4 Coupe

5x4.75" (B) 12mmx1.5 lugs Convertible: Maximum rear width = 9.5" wide Not 1987 SCCA racer

Short mag shank lug for 15" RT-S & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad	Size	Vehicle Location	Offset	Back Space	S71 Black Ctr Part number	S71 Polished Part number	S75 Black Ctr Part number	S76 Black Ctr Part number	S77 Black Ctr Part number
--	-----	------	------------------	--------	------------	---------------------------	--------------------------	---------------------------	---------------------------	---------------------------

15"	Med	15x4	Front	-26	1.50	71MB-504B15A*	71MP-504B15A*	75MB-504B15A*	76MB-504B15A*	77MB-504B15A*
	Med	15x5.3	Front	-16	2.50	71MB-505B25A*	71MP-505B25A*	75MB-505B25A*	76MB-505B25A*	77MB-505B25A*
	Med	15x6.3	Front	-3	3.50	71MB-506B35A*	71MP-506B35A*	75MB-506B35A*	76MB-506B35A*	77MB-506B35A*
	Med	15x7.3	Front	10	4.50	71MB-507B45A*	71MP-507B45A*	75MB-507B45A*	76MB-507B45A*	77MB-507B45A*
	Med	15x8.3	Front	22	5.50	71MB-508B55A*	71MP-508B55A*	75MB-508B55A*	76MB-508B55A*	77MB-508B55A*
	Med	15x9	Front/Rear	37	6.50	71MB-509B65A*	71MP-509B65A*	75MB-509B65A*	76MB-509B65A*	77MB-509B65A*
	Med	15x10.3	Rear only	21	6.50	71MB-510B65A*	71MP-510B65A*	75MB-510B65A*	76MB-510B65A*	77MB-510B65A*

* Check fit of wheel over brakes before mounting tire

17"	Med	17x4.5	Front	-14	2.20	71MB7045B22A	71MP7045B22A	75MB7045B22A	76MB7045B22A	77MB7045B22A
	Med	17x7.0	Front	8	4.30	71MB7070B43A	71MP7070B43A	75MB7070B43A	76MB7070B43A	77MB7070B43A
	Med	17x8.0	Front	20	5.30	71MB7080B53A	71MP7080B53A	75MB7080B53A	76MB7080B53A	77MB7080B53A
	Med	17x9.0	Front/Rear	33	6.30	71MB7090B63A	71MP7090B63A	75MB7090B63A	76MB7090B63A	77MB7090B63A
	Med	17x9.5	Front/Rear	39	6.80	71MB7095B68A	71MP7095B68A	75MB7095B68A	76MB7095B68A	77MB7095B68A
	Med	17x10.5	Rear only	27	6.80	71MB7105B68A	71MP7105B68A	75MB7105B68A	76MB7105B68A	77MB7105B68A
	Med	17x11.0	Rear only	33	7.30	71MB7110B73A	71MP7110B73A	75MB7110B73A	76MB7110B73A	77MB7110B73A

18"	Med	18x5.0	Front	-8	2.70	71MB8050B27A	71MP8050B27A	75MB8050B27A	76MB8050B27A	77MB8050B27A
	Med	18x7.0	Front	5	4.20	71MB8070B42A	71MP8070B42A	75MB8070B42A	76MB8070B42A	77MB8070B42A
	Med	18x8.0	Front	18	5.20	71MB8080B52A	71MP8080B52A	75MB8080B52A	76MB8080B52A	77MB8080B52A
	Med	18x9.0	Front	30	6.20	71MB8090B62A	71MP8090B62A	75MB8090B62A	76MB8090B62A	77MB8090B62A
	Med	18x9.5	Front	37	6.70	71MB8095B67A	71MP8095B67A	75MB8095B67A	76MB8095B67A	77MB8095B67A
	Med	18x10.0	Rear	30	6.70	71MB8100B67A	71MP8100B67A	75MB8100B67A	76MB8100B67A	77MB8100B67A
	Med	18x10.5	Rear	37	7.20	71MB8105B72A	71MP8105B72A	75MB8105B72A	76MB8105B72A	77MB8105B72A
	Med	18x11.0	Rear	43	7.70	71MB8110B77A	71MP8110B77A	75MB8110B77A	76MB8110B77A	77MB8110B77A

20"	Med	20x7.0	Front	10	4.40	71MB0070B44A	71MP0070B44A	75MB0070B44A	76MB0070B44A	77MB0070B44A
	Med	20x8.0	Front	23	5.40	71MB0080B54A	71MP0080B54A	75MB0080B54A	76MB0080B54A	77MB0080B54A
	Med	20x9.0	Front	36	6.40	71MB0090B64A	71MP0090B64A	75MB0090B64A	76MB0090B64A	77MB0090B64A
	Med	20x9.5	Front	42	6.90	71MB0095B69A	71MP0095B69A	75MB0095B69A	76MB0095B69A	77MB0095B69A
	Med	20x10.0	Rear	48	7.40	71MB0100B74A	71MP0100B74A	75MB0100B74A	76MB0100B74A	77MB0100B74A

1968-1982 Corvette C3

5x4.75" (B) 7/16 lugs

Short mag shank lug for 15" RT-S & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20".

	Pad	Size	Vehicle Location	Offset	Back Space	S71 Black Ctr Part number	S71 Polished Part number	S75 Black Ctr Part number	S76 Black Ctr Part number	S77 Black Ctr Part number
15"	Med	15x4	Front	-26	1.50	71MB-504B15A	71MP-504B15A	75MB-504B15A	76MB-504B15A	77MB-504B15A
	Med	15x5.3	Front	-22	2.25	71MB-505B25A	71MP-505B25A	75MB-505B25A	76MB-505B25A	77MB-505B25A
	Med	15x6.3	Front	-3	3.50	71MB-506B35A	71MP-506B35A	75MB-506B35A	76MB-506B35A	77MB-506B35A
	Med	15x6.83	Front/Rear	-11	3.50	71MB-507B35A	71MP-507B35A	75MB-507B35A	76MB-507B35A	77MB-507B35A

17"	Med	17x4.5	Front	-14	2.20	71MB7045B22A	71MP7045B22A	75MB7045B22A	76MB7045B22A	77MB7045B22A
	Med	17x7.0	Front	-18	3.30	71MB7070B33A	71MP7070B33A	75MB7070B33A	76MB7070B33A	77MB7070B33A
	Med	17x8.0	Front/Rear	-5	4.30	71MB7080B43A	71MP7080B43A	75MB7080B43A	76MB7080B43A	77MB7080B43A

18"	Med	18x5.0	Front	-20	2.20	71MB8050B22A	71MP8050B22A	75MB8050B22A	76MB8050B22A	77MB8050B22A
	Med	18x7.0	Front	-8	3.70	71MB8070B37A	71MP8070B37A	75MB8070B37A	76MB8070B37A	77MB8070B37A
	Med	18x8.0	Front/Rear	-8	4.20	71MB8080B42A	71MP8080B42A	75MB8080B42A	76MB8080B42A	77MB8080B42A

20"	Med	20x8.0	Rear	-16	3.90	71MB0080B39A	71MP0080B39A	75MB0080B39A	76MB0080B39A	77MB0080B39A
------------	-----	--------	------	-----	------	--------------	--------------	--------------	--------------	--------------

1965-1967 Corvette C3 Stingray

1965-1967 5x4.75" (B) 7/16 lugs (4 wheel disc brakes)

Short mag shank lug for 15" RT-S & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad	Size	Vehicle Location	Offset	Back Space	S71 Black Ctr Part number	S71 Polished Part number	S75 Black Ctr Part number	S76 Black Ctr Part number	S77 Black Ctr Part number
15"	Med	15x4	Front	-26	1.50	71MB-504B15A	71MP-504B15A	75MB-504B15A	76MB-504B15A	77MB-504B15A
	Med	15X5.3	Front	-22	2.25	71MB-505B25A	71MP-505B25A	75MB-505B25A	76MB-505B25A	77MB-505B25A
	Med	15x6	Front/Rear	-1	3.50	71MB-506B35A	71MP-506B35A	75MB-506B35A	76MB-506B35A	77MB-506B35A

17"	Med	17X5.0	Front	8	3.30	71MB7050B33A	71MP7050B33A	75MB7050B33A	76MB7050B33A	77MB7050B33A
	Med	17X5.5	Front	14	3.80	71MB7055B38A	71MP7055B38A	75MB7055B38A	76MB7055B38A	77MB7055B38A
	Med	17x6.0	Front/Rear	8	3.80	71MB7060B38A	71MP7060B38A	75MB7060B38A	76MB7060B38A	77MB7060B38A

18"	Med	18x5.0	Front	-8	2.70	71MB8050B27A	71MP8050B27A	75MB8050B27A	76MB8050B27A	77MB8050B27A
	Med	18X6.0	Front	-8	3.20	71MB8060B32A	71MP8060B32A	75MB8060B32A	76MB8060B32A	77MB8060B32A
	Med	18x7.0	Front/Rear	6	4.20	71MB8070B42A	71MP8070B42A	75MB8070B42A	76MB8070B42A	77MB8070B42A

20"	Med	20x7.0	Rear	-3	3.90	71MB0095B39A	71MP0095B39A	75MB0095B39A	76MB0095B39A	77MB0095B39A
------------	-----	--------	------	----	------	--------------	--------------	--------------	--------------	--------------

1963-1964 Corvette C3 Stingray

5x4.75" (B) 7/16 Lugs (w/ drum brakes)

Short mag shank lug for 15" RT-S & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad	Size	Vehicle Location	Offset	Back Space	S71 Black Ctr Part number	S71 Polished Part number	S75 Black Ctr Part number	S76 Black Ctr Part number	S77 Black Ctr Part number
15"	Med	15x4	Front	-26	1.50	71MB-504B15A	71MP-504B15A	75MB-504B15A	76MB-504B15A	77MB-504B15A
	Med	15X5.3	Front	-22	2.25	71MB-505B25A	71MP-505B25A	75MB-505B25A	76MB-505B25A	77MB-505B25A
	Med	15x6	Front/Rear	-1	3.50	71MB-506B35A	71MP-506B35A	75MB-506B35A	76MB-506B35A	77MB-506B35A

17"	Med	17X5.0	Front	8	3.30	71MB7050B33A	71MP7050B33A	75MB7050B33A	76MB7050B33A	77MB7050B33A
	Med	17X5.5	Front	14	3.80	71MB7055B38A	71MP7055B38A	75MB7055B38A	76MB7055B38A	77MB7055B38A
	Med	17x6.0	Front/Rear	8	3.80	71MB7060B38A	71MP7060B38A	75MB7060B38A	76MB7060B38A	77MB7060B38A

18"	Med	18x5.0	Front	-8	2.70	71MB8050B27A	71MP8050B27A	75MB8050B27A	76MB8050B27A	77MB8050B27A
	Med	18x6.0	Front	8	3.20	71MB8060B32A	71MP8060B32A	75MB8060B32A	76MB8060B32A	77MB8060B32A
	Med	18x7.0	Front/Rear	5	4.20	71MB8070B42A	71MP8070B42A	75MB8070B42A	76MB8070B42A	77MB8070B42A

20"	Med	20x7.0	Rear	-3	3.90	71MB0070B39A	71MP0070B39A	75MB0070B39A	76MB0070B39A	77MB0070B39A
------------	-----	--------	------	----	------	--------------	--------------	--------------	--------------	--------------

2000-07 Monte Carlo (W body) LS/LT/SS

(FWD)

5x115 mm [W] 12mmx1.5 lugs. Conical Lugs req'd 17"/18"/20"

	Pad	Size	Vehicle Location	Offset	Back Space	S71 Black Ctr Part number	S71 Polished Part number	S75 Black Ctr Part number	S76 Black Ctr Part number	S77 Black Ctr Part number
17"	Med	17x4.5	Rear only	-14	2.20	71MB7045W22A	71MP7045W22A	75MB7045W22A	76MB7045W22A	77MB7045W22A
	Med	17x7.0	Front/Rear	20	4.80	71MB7070W48A	71MP7070W48A	75MB7070W48A	76MB7070W48A	77MB7070W48A
	Med	17x8.0	Front/Rear	33	5.80	71MB7080W58A	71MP7080W58A	75MB7080W58A	76MB7080W58A	77MB7080W58A
	Med	17x8.5	Front/Rear	39	6.30	71MB7085W63A	71MP7085W63A	75MB7085W63A	76MB7085W63A	77MB7085W63A

18"	Med	18x5.0	Rear only	-8	2.70	71MB8050W27A	71MP8050W27A	75MB8050W27A	76MB8050W27A	77MB8050W27A
	Med	18x6.0	Rear only	18	4.20	71MB8060W42A	71MP8060W42A	75MB8060W42A	76MB8060W42A	77MB8060W42A
	Med	18x7.0	Front/Rear	30	5.20	71MB8070W52A	71MP8070W52A	75MB8070W52A	76MB8070W52A	77MB8070W52A
	Med	18x8.0	Front/Rear	43	6.20	71MB8080W62A	71MP8080W62A	75MB8080W62A	76MB8080W62A	77MB8080W62A

20"	Med	20x6.0	Rear only	10	3.90	71MB0070W39A	71MP0070W39A	75MB0070W39A	76MB0070W39A	77MB0070W39A
	Med	20x7.0	Front/Rear	23	4.90	71MB0070W49A	71MP0070W49A	75MB0070W49A	76MB0070W49A	77MB0070W49A
	Med	20x8.0	Front/Rear	36	5.90	71MB0080W59A	71MP0080W59A	75MB0080W59A	76MB0080W59A	77MB0080W59A

2013+ Malibu

	Pad	Size	Vehicle Location	Offset	Back Space	S71 Black Ctr Part number	S71 Polished Part number	S75 Black Ctr Part number	S76 Black Ctr Part number	S77 Black Ctr Part number
18"	Med	18x8.5	Front/Rear	37	6.20	71MB8085N62A	71MP8085N62A	75MB8085N62A	76MB8085N62A	77MB8085N62A

1978-1983 Malibu (G-Body 2nd Gen) 5x4.75" (B)

1978-81 7/16 lugs, 1982-83 12mmx1.5 lugs

Short mag shank lug for 15" RT-S & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad	Size	Vehicle Location	Offset	Back Space	S71 Black Ctr Part number	S71 Polished Part number	S75 Black Ctr Part number	S76 Black Ctr Part number	S77 Black Ctr Part number
15"	Low	15x4	Front	-21	1.63	71LB-504B16A	71LP-504B16A	75LB-504B16A	76LB-504B16A	77LB-504B16A
	Low	15x5.3	Front	-16	2.50	71LB-505B25A	71LP-505B25A	75LB-505B25A	76LB-505B25A	77LB-505B25A
	Low	15x6.3	Front	-3	3.50	71LB-506B35A	71LP-506B35A	75LB-506B35A	76LB-506B35A	77LB-506B35A
	Low	15x7.3	Front/Rear	-17	3.50	71LB-507B35A	71LP-507B35A	75LB-507B35A	76LB-507B35A	77LB-507B35A
	Low	15x8.3	Rear only	-4	4.50	71LB-508B45A	71LP-508B45A	75LB-508B45A	76LB-508B45A	77LB-508B45A

17"	Low	17x4.5	Front	-27	1.70	71LB7045B17A	71LP7045B17A	75LB7045B17A	76LB7045B17A	77LB7045B17A
	Low	17x7.0	Front/Rear	-3	3.90	71LB7070B40A	71LP7070B40A	75LB7070B40A	76LB7070B40A	77LB7070B40A
	Low	17x8.0	Rear only	10	4.90	71LB7080B50A	71LP7080B50A	75LB7080B50A	76LB7080B50A	77LB7080B50A

18"	Low	18x5.0	Front	-20	2.20	71LB8050B22A	71LP8050B22A	75LB8050B22A	76LB8050B22A	77LB8050B22A
	Low	18x7.0	Front/Rear	5	4.20	71LB8070B42A	71LP8070B42A	75LB8070B42A	76LB8070B42A	77LB8070B42A
	Low	18x8.0	Rear only	5	4.70	71LB8080B47A	71LP8080B47A	75LB8080B47A	76LB8080B47A	77LB8080B47A

20"	Low	20x7.0	Front	0	4.00	71LB0070B40A	71LP0070B40A	75LB0070B40A	76LB0070B40A	77LB0070B40A
	Low	20x8.0	Front/Rear	0	4.50	71LB0080B45A	71LP0080B45A	75LB0080B45A	76LB0080B45A	77LB0080B45A

1978-87 El-Camino/Monte Carlo (G-Body) 2nd Gen 5x4.75" (B)

1978-81 7/16 lugs. 1982-87 12mmx1.5.

Short mag shank lug for 15" RT-S & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20".

	Pad	Size	Vehicle Location	Offset	Back Space	S71 Black Ctr Part number	S71 Polished Part number	S75 Black Ctr Part number	S76 Black Ctr Part number	S77 Black Ctr Part number
15"	Low	15x4	Front	-21	1.63	71LB-504B16A	71LP-504B16A	75LB-504B16A	76LB-504B16A	77LB-504B16A
	Low	15x5.3	Front	-16	2.50	71LB-505B25A	71LP-505B25A	75LB-505B25A	76LB-505B25A	77LB-505B25A
	Low	15x6.3	Front	-3	3.50	71LB-506B35A	71LP-506B35A	75LB-506B35A	76LB-506B35A	77LB-506B35A
	Low	15x7.3	Front/Rear	-16	3.50	71LB-507B35A	71LP-507B35A	75LB-507B35A	76LB-507B35A	77LB-507B35A
	Low	15x8.3	Rear only	-4	4.50	71LB-508B45A	71LP-508B45A	75LB-508B45A	76LB-508B45A	77LB-508B45A

17"	Low	17x4.5	Front	-27	1.70	71LB7045B17A	71LP7045B17A	75LB7045B17A	76LB7045B17A	77LB7045B17A
	Low	17x7.0	Front/Rear	-3	3.90	71LB7070B40A	71LP7070B40A	75LB7070B40A	76LB7070B40A	77LB7070B40A
	Low	17x8.0	Rear only	10	4.90	71LB7080B50A	71LP7080B50A	75LB7080B50A	76LB7080B50A	77LB7080B50A

18"	Low	18x5.0	Front	-20	2.20	71LB8050B22A	71LP8050B22A	75LB8050B22A	76LB8050B22A	77LB8050B22A
	Low	18x7.0	Front/Rear	-8	3.70	71LB8070B37A	71LP8070B37A	75LB8070B37A	76LB8070B37A	77LB8070B37A
	Low	18x8.0	Rear only	5	4.70	71LB8080B47A	71LP8080B47A	75LB8080B47A	76LB8080B47A	77LB8080B47A

20"	Low	20x7.0	Front	0	4.00	71LB0070B40A	71LP0070B40A	75LB0070B40A	76LB0070B40A	77LB0070B40A
	Low	20x8.0	Front/Rear	0	4.50	71LB0080B45A	71LP0080B45A	75LB0080B45A	76LB0080B45A	77LB0080B45A

1969 -1972 Monte Carlo (G-Body 1st Gen)

5x4.75" (B) 7/16 lugs

Short mag shank lug for 15" RT-S & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad	Size	Vehicle Location	Offset	Back Space	S71 Black Ctr Part number	S71 Polished Part number	S75 Black Ctr Part number	S76 Black Ctr Part number	S77 Black Ctr Part number
15"	Low	15x4	Front	-21	1.63	71LB-504B16A	71LP-504B16A	75LB-504B16A	76LB-504B16A	77LB-504B16A
	Low	15x5.3	Front	-16	2.50	71LB-505B25A	71LP-505B25A	75LB-505B25A	76LB-505B25A	77LB-505B25A
	Low	15x6.3	Front	-3	3.50	71LB-506B35A	71LP-506B35A	75LB-506B35A	76LB-506B35A	77LB-506B35A
	Low	15x7.3	Front	-16	3.50	71LB-507B35A	71LP-507B35A	75LB-507B35A	76LB-507B35A	77LB-507B35A
	Low	15x8.3	Front/Rear	-4	4.50	71LB-508B45A	71LP-508B45A	75LB-508B45A	76LB-508B45A	77LB-508B45A
	Low	15x9.3	Rear only	-16	4.50	71LB-509B45A	71LP-509B45A	75LB-509B45A	76LB-509B45A	77LB-509B45A
	Low	15x10.3	Rear only	-4	5.50	71LB-510B55A	71LP-510B55A	75LB-510B55A	76LB-510B55A	77LB-510B55A

17"	Low	17x4.5	Front	-27	1.70	71LB7045B17A	71LP7045B17A	75LB7045B17A	76LB7045B17A	77LB7045B17A
	Low	17x7.0	Front	-15	3.40	71LB7070B35A	71LP7070B35A	75LB7070B35A	76LB7070B35A	77LB7070B35A
	Low	17x8.0	Front/Rear	-3	4.40	71LB7080B45A	71LP7080B45A	75LB7080B45A	76LB7080B45A	77LB7080B45A
	Low	17x9.0	Rear only	-15	4.40	71LB7090B45A	71LP7090B45A	75LB7090B45A	76LB7090B45A	77LB7090B45A
	Low	17x10.0	Rear only	-3	5.40	71LB7100B55A	71LP7100B55A	75LB7100B55A	76LB7100B55A	77LB7100B55A

18"	Low	18x5.0	Front	-8	2.70	71LB8050B27A	71LP8050B27A	75LB8050B27A	76LB8050B27A	77LB8050B27A
	Low	18x7.0	Front	-8	3.70	71LB8070B37A	71LP8070B37A	75LB8070B37A	76LB8070B37A	77LB8070B37A
	Low	18x8.0	Front/Rear	5	4.70	71LB8080B47A	71LP8080B47A	75LB8080B47A	76LB8080B47A	77LB8080B47A
	Low	18x9.0	Rear only	-8	4.70	71LB8090B47A	71LP8090B47A	75LB8090B47A	76LB8090B47A	77LB8090B47A
	Low	18x10.0	Rear only	5	5.70	71LB8010B57A	71LP8010B57A	75LB8010B57A	76LB8010B57A	77LB8010B57A

20"	Low	20x7.0	Front	-13	3.50	71LB0070B35A	71LP0070B35A	75LB0070B35A	76LB0070B35A	77LB0070B35A
	Low	20x8.0	Front/Rear	0	4.50	71LB0080B45A	71LP0080B45A	75LB0080B45A	76LB0080B45A	77LB0080B45A
	Low	20x9.0	Rear only	-13	4.50	71LB0090B45A	71LP0090B45A	75LB0090B45A	76LB0090B45A	77LB0090B45A
	Low	20x10.0	Rear only	0	5.50	71LB0100B55A	71LP0100B55A	75LB0100B55A	76LB0100B55A	77LB0100B55A

1973-1977 Chevelle/Malibu/SS El Camino/Monte Carlo (A-Body 3rd Gen)

5x4.75" (B) 7/16 lugs

Short mag shank lug for 15" RT-S & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad	Size	Vehicle Location	Offset	Back Space	S71 Black Ctr Part number	S71 Polished Part number	S75 Black Ctr Part number	S76 Black Ctr Part number	S77 Black Ctr Part number
15"	Low	15x4	Front	-21	1.63	71LB-504B16A	71LP-504B16A	75LB-504B16A	76LB-504B16A	77LB-504B16A
	Low	15x5.3	Front	-16	2.50	71LB-505B25A	71LP-505B25A	75LB-505B25A	76LB-505B25A	77LB-505B25A
	Low	15x6.3	Front	-3	3.50	71LB-506B35A	71LP-506B35A	75LB-506B35A	76LB-506B35A	77LB-506B35A
	Low	15x7.3	Front	-16	3.50	71LB-507B35A	71LP-507B35A	75LB-507B35A	76LB-507B35A	77LB-507B35A
	Low	15x8.3	Front/Rear	-4	4.50	71LB-508B45A	71LP-508B45A	75LB-508B45A	76LB-508B45A	77LB-508B45A
	Low	15x9.3	Rear only	-16	4.50	71LB-509B45A	71LP-509B45A	75LB-509B45A	76LB-509B45A	77LB-509B45A
	Low	15x10.3	Rear only	-4	5.50	71LB-510B55A	71LP-510B55A	75LB-510B55A	76LB-510B55A	77LB-510B55A

17"	Low	17x4.5	Front	-27	1.70	71LB7045B17A	71LP7045B17A	75LB7045B17A	76LB7045B17A	77LB7045B17A
	Low	17x7.0	Front	-15	3.40	71LB7070B35A	71LP7070B35A	75LB7070B35A	76LB7070B35A	77LB7070B35A
	Low	17x8.0	Front/Rear	-3	4.40	71LB7080B45A	71LP7080B45A	75LB7080B45A	76LB7080B45A	77LB7080B45A
	Low	17x9.0	Rear only	-15	4.40	71LB7090B45A	71LP7090B45A	75LB7090B45A	76LB7090B45A	77LB7090B45A
	Low	17x10.0	Rear only	-3	5.40	71LB7100B55A	71LP7100B55A	75LB7100B55A	76LB7100B55A	77LB7100B55A

18"	Low	18x5.0	Front	-20	2.20	71LB8050B22A	71LP8050B22A	75LB8050B22A	76LB8050B22A	77LB8050B22A
	Low	18x7.0	Front	-8	3.70	71LB8070B37A	71LP8070B37A	75LB8070B37A	76LB8070B37A	77LB8070B37A
	Low	18x8.0	Front/Rear	5	4.70	71LB8080B47A	71LP8080B47A	75LB8080B47A	76LB8080B47A	77LB8080B47A
	Low	18x9.0	Rear only	-8	4.70	71LB8090B47A	71LP8090B47A	75LB8090B47A	76LB8090B47A	77LB8090B47A
	Low	18x10.0	Rear only	5	5.70	71LB8010B57A	71LP8010B57A	75LB8010B57A	76LB8010B57A	77LB8010B57A

20"	Low	20x7.0	Front	-13	3.50	71LB0070B35A	71LP0070B35A	75LB0070B35A	76LB0070B35A	77LB0070B35A
	Low	20x8.0	Front/Rear	0	4.50	71LB0080B45A	71LP0080B45A	75LB0080B45A	76LB0080B45A	77LB0080B45A
	Low	20x9.0	Rear only	-13	4.50	71LB0090B45A	71LP0090B45A	75LB0090B45A	76LB0090B45A	77LB0090B45A
	Low	20x10.0	Rear only	0	5.50	71LB0100B55A	71LP0100B55A	75LB0100B55A	76LB0100B55A	77LB0100B55A

1968-72 Chevelle/Malibu/300/El Camino

A-Body 2nd Gen 5x4.75" (B) 7/16 lugs

Short mag shank lug for 15" RT-S & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad	Size	Vehicle Location	Offset	Back Space	S71 Black Ctr Part number	S71 Polished Part number	S75 Black Ctr Part number	S76 Black Ctr Part number	S77 Black Ctr Part number
15"	Low	15x4	Front	-21	1.63	71LB-504B16A	71LP-504B16A	75LB-504B16A	76LB-504B16A	77LB-504B16A
	Low	15x5.3	Front	-16	2.50	71LB-505B25A	71LP-505B25A	75LB-505B25A	76LB-505B25A	77LB-505B25A
	Low	15x6.3	Front	-3	3.50	71LB-506B35A	71LP-506B35A	75LB-506B35A	76LB-506B35A	77LB-506B35A
	Low	15x7.3	Front	-16	3.50	71LB-507B35A	71LP-507B35A	75LB-507B35A	76LB-507B35A	77LB-507B35A
	Low	15X8.3	Front/Rear	-4	4.50	71LB-508B45A	71LP-508B45A	75LB-508B45A	76LB-508B45A	77LB-508B45A
	Low	15x9.3	Rear only	-16	4.50	71LB-509B45A	71LP-509B45A	75LB-509B45A	76LB-509B45A	77LB-509B45A
	Low	15X10.3	Rear only	-4	5.50	71LB-510B55A	71LP-510B55A	75LB-510B55A	76LB-510B55A	77LB-510B55A

17"	Low	17x4.5	Front	-27	1.70	71LB7045B17A	71LP7045B17A	75LB7045B17A	76LB7045B17A	77LB7045B17A
	Low	17x7.0	Front	-15	3.40	71LB7070B35A	71LP7070B35A	75LB7070B35A	76LB7070B35A	77LB7070B35A
	Low	17x8.0	Front/Rear	-3	4.40	71LB7080B45A	71LP7080B45A	75LB7080B45A	76LB7080B45A	77LB7080B45A
	Low	17x9.0	Rear only	-15	4.40	71LB7090B45A	71LP7090B45A	75LB7090B45A	76LB7090B45A	77LB7090B45A
	Low	17x10.0	Rear only	-3	5.40	71LB7100B55A	71LP7100B55A	75LB7100B55A	76LB7100B55A	77LB7100B55A

18"	Low	18x5.0	Front	-20	2.20	71LB8050B22A	71LP8050B22A	75LB8050B22A	76LB8050B22A	77LB8050B22A
	Low	18x7.0	Front	-8	3.70	71LB8070B37A	71LP8070B37A	75LB8070B37A	76LB8070B37A	77LB8070B37A
	Low	18x8.0	Front/Rear	5	4.70	71LB8080B47A	71LP8080B47A	75LB8080B47A	76LB8080B47A	77LB8080B47A
	Low	18x9.0	Rear only	-8	4.70	71LB8090B47A	71LP8090B47A	75LB8090B47A	76LB8090B47A	77LB8090B47A
	Low	18x10.0	Rear only	5	5.70	71LB8100B57A	71LP8100B57A	75LB8100B57A	76LB8100B57A	77LB8100B57A

20"	Low	20x7.0	Front	-13	3.50	71LB0070B35A	71LP0070B35A	75LB0070B35A	76LB0070B35A	77LB0070B35A
	Low	20x8.0	Front/Rear	0	4.50	71LB0080B45A	71LP0080B45A	75LB0080B45A	76LB0080B45A	77LB0080B45A
	Low	20x9.0	Rear only	-13	4.50	71LB0090B45A	71LP0090B45A	75LB0090B45A	76LB0090B45A	77LB0090B45A
	Low	20x10.0	Rear only	0	5.50	71LB0100B55A	71LP0100B55A	75LB0100B55A	76LB0100B55A	77LB0100B55A

1964-67 Chevelle/Malibu/300/El Camino

A-Body 1st Gen 5x4.75" (B) 7/16 lugs

Short mag shank lug for 15" RT-S & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad	Size	Vehicle Location	Offset	Back Space	S71 Black Ctr Part number	S71 Polished Part number	S75 Black Ctr Part number	S76 Black Ctr Part number	S77 Black Ctr Part number
15"	Low	15x4	Front	-21	1.63	71LB-504B16A	71LP-504B16A	75LB-504B16A	76LB-504B16A	77LB-504B16A
	Low	15x5.3	Front	-16	2.50	71LB-505B25A	71LP-505B25A	75LB-505B25A	76LB-505B25A	77LB-505B25A
	Low	15x6.3	Front	-3	3.50	71LB-506B35A	71LP-506B35A	75LB-506B35A	76LB-506B35A	77LB-506B35A
	Low	15X7.3	Front/Rear	-16	3.50	71LB-507B35A	71LP-507B35A	75LB-507B35A	76LB-507B35A	77LB-507B35A
	Low	15X8.3	Rear only	-4	4.50	71LB-508B45A	71LP-508B45A	75LB-508B45A	76LB-508B45A	77LB-508B45A

17"	Low	17x4.5	Front	-27	1.70	71LB7045B17A	71LP7045B17A	75LB7045B17A	76LB7045B17A	77LB7045B17A
	Low	17x7.0	Front/Rear	-3	3.90	71LB7070B40A	71LP7070B40A	75LB7070B40A	76LB7070B40A	77LB7070B40A
	Low	17x8.0	Rear only	10	4.90	71LB7080B50A	71LP7080B50A	75LB7080B50A	76LB7080B50A	77LB7080B50A

18"	Low	18x5.0	Front	-8	2.70	71LB8050B27A	71LP8050B27A	75LB8050B27A	76LB8050B27A	77LB8050B27A
	Low	18x7.0	Front/Rear	5	4.20	71LB8070B42A	71LP8070B42A	75LB8070B42A	76LB8070B42A	77LB8070B42A
	Low	18x8.0	Rear only	18	5.20	71LB8080B52A	71LP8080B52A	75LB8080B52A	76LB8080B52A	77LB8080B52A

20"	Low	20x7.0	Front/Rear	0	4.00	71LB0070B40A	71LP0070B40A	75LB0070B40A	76LB0070B40A	77LB0070B40A
	Low	20x8.0	Rear only	13	5.00	71LB0080B50A	71LP0080B50A	75LB0080B50A	76LB0080B50A	77LB0080B50A

1975-79 Chevy II & Nova (X-Body 3rd Gen)

5x4.75" (B) 7/16 lugs

Short mag shank lug for 15" RT-S & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20".

	Pad	Size	Vehicle Location	Offset	Back Space	S71 Black Ctr Part number	S71 Polished Part number	S75 Black Ctr Part number	S76 Black Ctr Part number	S77 Black Ctr Part number
15"	Low	15x4	Front	-21	1.63	71LB-504B16A	71LP-504B16A	75LB-504B16A	76LB-504B16A	77LB-504B16A
	Low	15x5.3	Front	-16	2.50	71LB-505B25A	71LP-505B25A	75LB-505B25A	76LB-505B25A	77LB-505B25A
	Low	15x6.3	Front	-3	3.50	71LB-506B35A	71LP-506B35A	75LB-506B35A	76LB-506B35A	77LB-506B35A
	Low	15x7.3	Front/Rear	10	4.50	71LB-507B45A	71LP-507B45A	75LB-507B45A	76LB-507B45A	77LB-507B45A
	Low	15x8.3	Rear only	21	5.50	71LB-508B55A*	71LP-508B55A*	75LB-508B55A*	76LB-508B55A*	77LB-508B55A*

* May require relocating rear shocks inboard

17"	Low	17x4.5	Front	-27	1.70	71LB7045B17A	71LP7045B17A	75LB7045B17A	76LB7045B17A	77LB7045B17A
	Low	17x7.0	Front	-3	3.90	71LB7070B40A	71LP7070B40A	75LB7070B40A	76LB7070B40A	77LB7070B40A
	Low	17x8.0	Front/Rear	10	4.90	71LB7080B50A*	71LP7080B50A*	75LB7080B50A*	76LB7080B50A*	77LB7080B50A*

* May require relocating rear shocks inboard

18"	Low	18x5.0	Front	-20	2.20	71LB8050B22A	71LP8050B22A	75LB8050B22A	76LB8050B22A	77LB8050B22A
	Low	18x7.0	Front	-8	3.70	71LB8070B37A	71LP8070B37A	75LB8070B37A	76LB8070B37A	77LB8070B37A
	Low	18x8.0	Front	5	4.70	71LB8080B47A	71LP8080B47A	75LB8080B47A	76LB8080B47A	77LB8080B47A
	Low	18x9.0	Rear only	18	5.70	71LB8090B57A*	71LP8090B57A*	75LB8090B57A*	76LB8090B57A*	77LB8090B57A*

* May require relocating rear shocks inboard

20"	Low	20x7.0	Front	-13	3.50	71LB0070B35A	71LP0070B35A	75LB0070B35A	76LB0070B35A	77LB0070B35A
	Low	20x8.0	Front	0	4.50	71LB0080B45A	71LP0080B45A	75LB0080B45A	76LB0080B45A	77LB0080B45A
	Low	20x9.0	Rear only	25	6.00	71LB0090B60A*	71LP0090B60A*	75LB0090B60A*	76LB0090B60A*	77LB0090B60A*

* May require relocating rear shocks inboard

1968-74 Chevy II & Nova (X-Body 2nd Gen)

5x4.75" (B) 7/16 lugs

Short mag shank lug for 15" RT-S & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20".

	Pad	Size	Vehicle Location	Offset	Back Space	S71 Black Ctr Part number	S71 Polished Part number	S75 Black Ctr Part number	S76 Black Ctr Part number	S77 Black Ctr Part number
15"	Low	15x4	Front	-21	1.63	71LB-504B16A	71LP-504B16A	75LB-504B16A	76LB-504B16A	77LB-504B16A
	Low	15x5.3	Front	-16	2.50	71LB-505B25A	71LP-505B25A	75LB-505B25A	76LB-505B25A	77LB-505B25A
	Low	15x6.3	Front	-3	3.50	71LB-506B35A	71LP-506B35A	75LB-506B35A	76LB-506B35A	77LB-506B35A
	Low	15x7.3	Front/Rear	10	4.50	71LB-507B45A	71LP-507B45A	75LB-507B45A	76LB-507B45A	77LB-507B45A
	Low	15x8.3	Rear only	21	5.50	71LB-508B55A*	71LP-508B55A*	75LB-508B55A*	76LB-508B55A*	77LB-508B55A*

*May require relocating rear shocks inboard

17"	Low	17x4.5	Front	-27	1.70	71LB7045B17A	71LP7045B17A	75LB7045B17A	76LB7045B17A	77LB7045B17A
	Low	17x7.0	Front/Rear	11	4.40	71LB7070B45A	71LP7070B45A	75LB7070B45A	76LB7070B45A	77LB7070B45A
	Low	17x8.0	Rear only	10	4.90	71LB7080B50A	71LP7080B50A	75LB7080B50A	76LB7080B50A	77LB7080B50A
	Low	17x8.5	Rear only	17	5.40	71LB7085B55A*	71LP7085B55A*	75LB7085B55A*	76LB7085B55A*	77LB7085B55A*

*May require relocating rear shocks inboard

18"	Low	18x5.0	Front	-8	2.70	71LB8050B27A	71LP8050B27A	75LB8050B27A	76LB8050B27A	77LB8050B27A
	Low	18x6.0	Front	5	3.70	71LB8060B37A	71LP8060B37A	75LB8060B37A	76LB8060B37A	77LB8060B37A
	Low	18x7.0	Front	18	4.70	71LB8070B47A	71LP8070B47A	75LB8070B47A	76LB8070B47A	77LB8070B47A
	Low	18x8.0	Rear only	5	4.70	71LB8080B47A	71LP8080B47A	75LB8080B47A	76LB8080B47A	77LB8080B47A
	Low	18x9.0	Rear only	18	5.70	71LB8090B57A*	71LP8090B57A*	75LB8090B57A*	76LB8090B57A*	77LB8090B57A*

*May require relocating rear shocks inboard

20"	Low	20x6.0	Front	0	3.50	71LB0060B35A	71LP0060B35A	75LB0060B35A	76LB0060B35A	77LB0060B35A
	Low	20x7.0	Rear only	13	4.50	71LB0070B45A	71LP0070B45A	75LB0070B45A	76LB0070B45A	77LB0070B45A

1962-67 Chevy II & Nova (X-Body 2nd Gen)

5x4.75" (B) 7/16 lugs

Short mag shank lug for 15" RT-S & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad	Size	Vehicle Location	Offset	Back Space	S71 Black Ctr Part number	S71 Polished Part number	S75 Black Ctr Part number	S76 Black Ctr Part number	S77 Black Ctr Part number
15"	Low	15x4	Front	-21	1.63	71LB-504B16A	71LP-504B16A	75LB-504B16A	76LB-504B16A	77LB-504B16A
	Low	15x5.3	Front	-16	2.50	71LB-505B25A	71LP-505B25A	75LB-505B25A	76LB-505B25A	77LB-505B25A
	Low	15x6.3	Front	-3	3.50	71LB-506B35A	71LP-506B35A	75LB-506B35A	76LB-506B35A	77LB-506B35A
	Low	15x7.3	Front/Rear	10	4.50	71LB-507B45A	71LP-507B45A	75LB-507B45A	76LB-507B45A	77LB-507B45A

17"	Low	17x4.5	Front	-27	1.70	71LB7045B17A	71LP7045B17A	75LB7045B17A	76LB7045B17A	77LB7045B17A
	Low	17x6.5	Front/Rear	4	3.90	71LB7065B40A	71LP7065B40A	75LB7065B40A	76LB7065B40A	77LB7065B40A
	Low	17x7.0	Rear only	10	4.40	71LB7070B45A	71LP7070B45A	75LB7070B45A	76LB7070B45A	77LB7070B45A

18"	Low	18x5.0	Front	-8	2.70	71LB8050B77A	71LP8050B77A	75LB8050B77A	76LB8050B77A	77LB8050B77A
	Low	18x6.0	Front	5	3.70	71LB8060B37A	71LP8060B37A	75LB8060B37A	76LB8060B37A	77LB8060B37A
	Low	18x7.0	Rear only	5	4.20	71LB8070B42A	71LP8070B42A	75LB8070B42A	76LB8070B42A	77LB8070B42A

20"	Low	20x6.0	Front	0	3.50	71LB0060B35A	71LP0060B35A	75LB0060B35A	76LB0060B35A	77LB0060B35A
	Low	20x7.0	Rear only	13	4.50	71LB0070B45A	71LP0070B45A	75LB0070B45A	76LB0070B45A	77LB0070B45A

2014+ SS (Sports Sedan)

DRAG SETUP!

5x120mm (N). Conical Lug nuts.

	Pad	Size	Vehicle Location	Offset	Back Space	S71 Black Ctr Part number	S71 Polished Part number	S75 Black Ctr Part number	S76 Black Ctr Part number	S77 Black Ctr Part number
17"	High	17x5.0	Front	-21	2.20	71HB7050N22A	71HP7050N22A	75HB7050N22A	76HB7050N22A	77HB7050N22A
	High	17X7.0	Front	5	4.20	71HB7070N42A	71HP7070N42A	75HB7070N42A	76HB7070N42A	77HB7070N42A
	High	17X8.5	Front	30	5.70	71HB7080N57A	71HP7080N57A	75HB7080N57A	76HB7080N57A	77HB7080N57A
	High	17x9.0	Rear only	31	6.20	71HB7090N62A	71HP7090N62A	75HB7090N62A	76HB7090N62A	77HB7090N62A
	High	17x9.5	Rear only	37	6.70	71HB7095N67A	71HP7095N67A	75HB7095N67A	76HB7095N67A	77HB7095N67A

Will stick out of fender 3/8"

18"	Med	18x9	Rear only	43	6.70	71MB8090N67A*	71MP8090N67A*	75MB8090N67A*	76MB8090N67A*	77MB8090N67A*
*Requires .30" spacer to clear brakes and ET lug nuts for proper Thread engagement										
20"	Med	20x9	Rear only	48	6.90	71MB8090N69A*	71MP8090N69A*	75MB8090N69A*	76MB8090N69A*	77MB8090N69A*
*Requires .30" spacer to clear brakes and ET lug nuts for proper Thread engagement										

This fitment guide applies to vehicles with O.E. suspension, wheel wells, and brakes unless otherwise noted.

Other sizes and offsets are available, please call the Sales and Tech Department for more information at 800-788-9353