

RT-S Application Guide

PONTIAC

This fitment guide applies to vehicles with O.E. suspension, wheel wells, and brakes unless otherwise noted.

Other sizes and offsets are available, please call the Sales and Tech Department for more information

2004-2006 GTO

5x120mm (N) - 12mmx1.5 lugs

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	S71 Polished Center Part Number	S71 Black Center Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
15"	Low	15x4	Front		2.50	71LP-504N25A	71LB-504N25A	75LB-504N25A	76LB-504N25A	77LB-504N25A
	15x4 -> 2004 GTO only - wider than 15x4 front wheel requires 17" or 18" dia. wheel									
	Low	15x9	Rear Only	37	6.50	71LP-509N65A*	71LB-509N65A*	75LB-509N65A*	76LB-509N65A*	77LB-509N65A*
	Low	15x10	Rear Only	53	7.50	71LP-510N75A*	71LB-510N75A*	75LB-510N75A*	76LB-510N75A*	77LB-510N75A*

* Rear brake tube at the rear caliper has to be bent slightly for clearance of the rim shell

17"	Medium	17x5.0	Front	8	3.30	71MP7050N33A	71MB7050N33A	75MB7050N33A	76MB7050N33A	77MB7050N33A
	Medium	17x7.0	Front	33	5.30	71MP7070N53A	71MB7070N53A	75MB7070N53A	76MB7070N53A	77MB7070N53A
	Medium	17x8.0	Frt/Rear	46	6.30	71MP7080N63A*	71MB7080N63A*	75MB7080N63A*	76MB7080N63A*	77MB7080N63A*
	Medium	17x8.5	Rear Only	39	6.30	71MP7085N63A	71MB7085N63A	75MB7085N63A	76MB7085N63A	77MB7085N63A
	Medium	17x9.0	Rear Only	46	6.80	71MP7090N68A	71MB7090N68A	75MB7090N68A	76MB7090N68A	77MB7090N68A
	Medium	17x10.0	Rear Only	58	7.80	71MP7100N78A	71MB7100N78A	75MB7100N78A	76MB7100N78A	77MB7100N78A

* watch tire size

18"	Medium	18x5.0	Front	5	3.20	71MP8050N32A	71MB8050N32A	75MB8050N32A	76MB8050N32A	77MB8050N32A
	Medium	18x7.0	Front	30	5.20	71MP8070N52A	71MB8070N52A	75MB8070N52A	76MB8070N52A	77MB8070N52A
	Medium	18x8.0	Frt/Rear	43	6.20	71MP8080N62A	71MB8080N62A	75MB8080N62A	76MB8080N62A	77MB8080N62A
	Medium	18x9.0	Rear Only	56	7.20	71MP8090N72A	71MB8090N72A	75MB8090N72A	76MB8090N72A	77MB8090N72A
	Medium	18x9.5	Rear Only	62	7.70	71MP8095N77A	71MB8095N77A	75MB8095N77A	76MB8095N77A	77MB8095N77A
	Medium	18x10.0	Rear Only	69	8.20	71MP8100N82A^	71MB8100N82A^	75MB8100N82A^	76MB8100N82A^	77MB8100N82A^

^ 6-9mm (.250-.375") spacer may be needed to clear shock mount

2008-2009 Pontiac G8 & G8 GT

5x120mm (N) - 12mmx1.5 lugs
Conical Lugs req'd 17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	S71 Polished Center Part Number	S71 Black Center Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
17"	Medium	17x5.0	Front	8	3.30	71MP7050N33A	71MB7050N33A	75MB7050N33A	76MB7050N33A	77MB7050N33A
	Medium	17x7.0	Front	33	5.30	71MP7070N53A	71MB7070N53A	75MB7070N53A	76MB7070N53A	77MB7070N53A
	Medium	17x8.0	Frt/Rear	46	6.30	71MP7080N63A*	71MB7080N63A*	75MB7080N63A*	76MB7080N63A*	77MB7080N63A*
	Medium	17x8.5	Rear Only	39	6.30	71MP7085N63A	71MB7085N63A	75MB7085N63A	76MB7085N63A	77MB7085N63A
	Medium	17x9.0	Rear Only	46	6.80	71MP7090N68A	71MB7090N68A	75MB7090N68A	76MB7090N68A	77MB7090N68A
	Medium	17x10.0	Rear Only	58	7.80	71MP7100N78A	71MB7100N78A	75MB7100N78A	76MB7100N78A	77MB7100N78A

* watch tire size

18"	Medium	18x5.0	Front	5	3.20	71MP8050N32A	71MB8050N32A	75MB8050N32A	76MB8050N32A	77MB8050N32A
	Medium	18x7.0	Front	30	5.20	71MP8070N52A	71MB8070N52A	75MB8070N52A	76MB8070N52A	77MB8070N52A
	Medium	18x8.0	Frt/Rear	43	6.20	71MP8080N62A	71MB8080N62A	75MB8080N62A	76MB8080N62A	77MB8080N62A
	Medium	18x9.0	Rear Only	56	7.20	71MP8090N72A	71MB8090N72A	75MB8090N72A	76MB8090N72A	77MB8090N72A
	Medium	18x9.5	Rear Only	62	7.70	71MP8095N77A	71MB8095N77A	75MB8095N77A	76MB8095N77A	77MB8095N77A
	Medium	18x10.0	Rear Only	69	8.20	71MP8100N82A^	71MB8100N82A^	75MB8100N82A^	76MB8100N82A^	77MB8100N82A^

^ 6-9mm (.250".375") spacer may be needed to clear shock mount

2008-2009 Pontiac G8 & SS Sedan

	Size	Vehicle Location							
15"	15x10	Rear Only							

*Requires CarlyleRacing 15" Conversion kit 15-209-G8-89

2009 Pontiac G8 GXP

Brembo front brakes

5x120mm (N) - 14mmx1.5 lugs. Conical Lugs req'd 17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	S71 Polished Center Part Number	S71 Black Center Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
17"	Medium	17x9.0	Rear Only	46	6.80	71MP7090N68A	71MB7090N68A	75MB7090N68A	76MB7090N68A	77MB7090N68A
	Medium	17x9.5	Rear Only	52	7.30	71MP7095N73A	71MB7095N73A	75MB7095N73A	76MB7095N73A	77MB7095N73A
18"	Medium	18x9.0	Rear Only	43	6.70	71MP8090N67A	71MB8090N67A	75MB8090N67A	76MB8090N67A	77MB8090N67A
	Medium	18x9.5	Rear Only	50	7.20	71MP8095N72A	71MB8095N72A	75MB8095N72A	76MB8095N72A	77MB8095N72A

20"	Medium	20x9.0	Rear Only	48	6.90	71MP0090N69A	71MB0090N69A	75MB0090N69A	76MB0090N69A	77MB0090N69A
	Medium	20x9.5	Rear Only	55	7.40	71MP0095N74A	71MB0095N74A	75MB0095N74A	76MB0095N74A	77MB0095N74A

1993-2002 Firebird (4th Gen)

5x4.75" [B] 12mmx1.5 lugs

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable, AlumaStar, Magnum, & V-Series, 17x4.5 will also work (shank lug) Conical Lugs req'd 17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	S71 Polished Center Part Number	S71 Black Center Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
--	------------	------	------------------	--------	------------	---------------------------------	------------------------------	------------------------------	------------------------------	------------------------------

15x4 is the widest wheel allowed on stock front brakes. A wider wheel can only be used in a 17" dia.

15"	Medium	15x4	Front	-26	1.50	71MP-504B15A	71MB-504B15A	75MB-504B15A	76MB-504B15A	77MB-504B15A	
	Low	15x4	Front		2.50	71LP-504B25A**	71LB-504B25A**	75LB-504B25A**	76LB-504B25A**	77LB-504B25A**	
	** 1998-2002 Models: 1/4" spacer req'd, will "tuck" wheel under fender well 1/4" more than Med pad wheel										
	** 1993-1997 Models: 1/8" spacer req'd, will "tuck" wheel under fender well 7/8" more than Med pad wheel										
	Medium	15x8	Rear Only	25	5.50	71MP-508B55A	71MB-508B55A	75MB-508B55A	76MB-508B55A	77MB-508B55A	
	Medium	15X9	Rear Only	37	6.50	71MP-509B65A	71MB-509B65A	75MB-509B65A	76MB-509B65A	77MB-509B65A	
Medium	15X10	Rear Only	50	7.50	71MP-510B75A	71MB-510B75A	75MB-510B75A	76MB-510B75A	77MB-510B75A		

17"	Medium	17x4.5	Front	-14	2.20	71MP7045B22A	71MB7045B22A	75MB7045B22A	76MB7045B22A	77MB7045B22A
	Medium	17x7.0	Front	20	4.80	71MP7070B48A	71MB7070B48A	75MB7070B48A	76MB7070B48A	77MB7070B48A
	Medium	17x8.0	Frt/Rear	33	5.80	71MP7080B58A	71MB7080B58A	75MB7080B58A	76MB7080B58A	77MB7080B58A
	Medium	17x9.0	Frt/Rear	46	6.80	71MP7090B68A	71MB7090B68A	75MB7090B68A	76MB7090B68A	77MB7090B68A
	Medium	17x9.5	Frt/Rear	52	7.30	71MP7095B73A	71MB7095B73A	75MB7095B73A	76MB7095B73A	77MB7095B73A
	Medium	17x10.0	Rear Only	46	7.30	71MP7100B73A	71MB7100B73A	75MB7100B73A	76MB7100B73A	77MB7100B73A
	Medium	17x10.5	Rear Only	52	7.80	71MP7105B78A	71MB7105B78A	75MB7105B78A	76MB7105B78A	77MB7105B78A
	Medium	17x11.0	Rear Only	46	7.80	71MP7110B78A*	71MB7110B78A*	75MB7110B78A*	76MB7110B78A*	77MB7110B78A*

* Tire brands vary in width, the jounce snubber may need trimming, the rear axle may need centered with an aftermarket adjustable panhand rod. It depends on the car.

18"	Medium	18x5.0	Front	-8	2.70	71MP8050B27A	71MB8050B27A	75MB8050B27A	76MB8050B27A	77MB8050B27A
	Medium	18x7.0	Front	18	4.70	71MP8070B47A	71MB8070B47A	75MB8070B47A	76MB8070B47A	77MB8070B47A
	Medium	18x8.0	Frt/Rear	30	5.70	71MP8080B57A	71MB8080B57A	75MB8080B57A	76MB8080B57A	77MB8080B57A
	Medium	18x9.0	Frt/Rear	43	6.70	71MP8090B67A	71MB8090B67A	75MB8090B67A	76MB8090B67A	77MB8090B67A
	Medium	18x10.0	Rear Only	43	7.20	71MP8100B72A	71MB8100B72A	75MB8100B72A	76MB8100B72A	77MB8100B72A
	Medium	18x10.5	Rear Only	50	7.70	71MP8105B77A	71MB8105B77A	75MB8105B77A	76MB8105B77A	77MB8105B77A
	Medium	18x11.0	Rear Only	56	8.20	71MP8110B82A*	71MB8110B82A*	75MB8110B82A*	76MB8110B82A*	77MB8110B82A*

* Tire brands vary in width, the jounce snubber may need trimming, the rear axle may need centered with an aftermarket adjustable panhand rod. It depends on the car.

20"	Medium	20x9.5	Rear Only	29	6.40	71LP0095B64A	71LB0095B64A	75LB0095B64A	76LB0095B64A	77LB0095B64A
	Medium	20x10.0	Rear Only	36	6.90	71LP0100B69A	71LB0100B69A	75LB0100B69A	76LB0100B69A	77LB0100B69A
	Medium	20x11.0	Rear Only	49	7.90	71LP0110B79A	71LB0110B79A	75LB0110B79A	76LB0110B79A	77LB0110B79A



1982-92 Firebird (3rd Gen) & 1LE

5x4.75" (B) 12mmx1.5 lugs

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. AlumaStar, Magnum, & V-Series 17x4.5 will also work (shank lug). Conical Lugs req'd 17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	S71 Polished Center Part Number	S71 Black Center Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
15"	Low	15x4	Front	-23	1.63	71LP-504B16A	71LB-504B16A	75LB-504B16A	76LB-504B16A	77LB-504B16A
	Low	15X5.3	Front	-16	2.50	71LP-505B25A	71LB-505B25A	75LB-505B25A	76LB-505B25A	77LB-505B25A
	Low	15X6.3	Front	-3	3.50	71LP-506B35A	71LB-506B35A	75LB-506B35A	76LB-506B35A	77LB-506B35A
	Low	15X7.3	Front	10	4.50	71LP-507B45A	71LB-507B45A	75LB-507B45A	76LB-507B45A	77LB-507B45A
	Low	15x8.3	Frnt/Rear	-4	4.50	71LP-508B45A	71LB-508B45A	75LB-508B45A	76LB-508B45A	77LB-508B45A
	Low	15X9.3	Rear Only	10	5.50	71LP-509B55A	71LB-509B55A	75LB-509B55A	76LB-509B55A	77LB-509B55A
	Low	15x10.3	Rear Only	-4	5.50	71LP-510B55A	71LB-510B55A	75LB-510B55A	76LB-510B55A	77LB-510B55A

17"	Low	17x4.5	Front	-27	1.70	71LP7045B17A	71LB7045B17A	75LB7045B17A	76LB7045B17A	77LB7045B17A
	Low	17x7.0	Front	10	4.40	71LP7070B45A	71LB7070B45A	75LB7070B45A	76LB7070B45A	77LB7070B45A
	Low	17x8.0	Frnt/Rear	10	4.90	71LP7080B50A	71LB7080B50A	75LB7080B50A	76LB7080B50A	77LB7080B50A
	Low	17x9.0	Frnt/Rear	10	5.40	71LP7090B55A	71LB7090B55A	75LB7090B55A	76LB7090B55A	77LB7090B55A
	Low	17x9.5	Frnt/Rear	4	5.40	71LP7095B55A^	71LB7095B55A^	75LB7095B55A^	76LB7095B55A^	77LB7095B55A^
	Low	17x10.0	Rear Only	-3	5.40	71LP7100B55A	71LB7100B55A	75LB7100B55A	76LB7100B55A	77LB7100B55A
	Low	17x10.5	Rear Only	4	5.90	71LP7105B60A	71LB7105B60A	75LB7105B60A	76LB7105B60A	77LB7105B60A
	Low	17x11.0	Rear Only	10	6.40	71LP7110B65A*	71LB7110B65A*	75LB7110B65A*	76LB7110B65A*	77LB7110B65A*

^ Test fit wheel on car before mounting tire

* Tire brands vary in width, the jounce snubber may need trimming, the rear axle may need centered with an aftermarket adjustable panhand rod. It depends on the car.

18"	Low	18x5.0	Front	-8	2.70	71LP8050B27A	71LB8050B27A	75LB8050B27A	76LB8050B27A	77LB8050B27A
	Low	18X7.0	Front	-8	3.70	71LP8070B37A	71LB8070B37A	75LB8070B37A	76LB8070B37A	77LB8070B37A
	Low	18X8.0	Frnt/Rear	5	4.70	71LP8080B47A	71LB8080B47A	75LB8080B47A	76LB8080B47A	77LB8080B47A
	Low	18X9.0	Frnt/Rear	5	5.20	71LP8090B52A	71LB8090B52A	75LB8090B52A	76LB8090B52A	77LB8090B52A
	Low	18X10.0	Rear Only	5	5.70	71LP8100B57A	71LB8100B57A	75LB8100B57A	76LB8100B57A	77LB8100B57A
	Low	18X10.5	Rear Only	11	6.20	71LP8105B62A	71LB8105B62A	75LB8105B62A	76LB8105B62A	77LB8105B62A
	Low	18x11.0	Rear Only	18	6.70	71LP8110B67A*	71LB8110B67A*	75LB8110B67A*	76LB8110B67A*	77LB8110B67A*

* Tire brands vary in width, the jounce snubber may need trimming, the rear axle may need centered with an aftermarket adjustable panhand rod. It depends on the car.

20"	Low	20x9.0	Rear Only	-13	4.50	71LP0090B45A	71LB0090B45A	75LB0090B45A	76LB0090B45A	77LB0090B45A
	Low	20x10.0	Rear Only	0	5.50	71LP0100B55A	71LB0100B55A	75LB0100B55A	76LB0100B55A	77LB0100B55A
	Low	20x11.0	Rear Only	13	6.50	71LP0110B65A	71LB0110B65A	75LB0110B65A	76LB0110B65A	77LB0110B65A

1970.5-1981 Firebird (2nd Gen)

5x4.75" (B) 7/16 lugs

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	S71 Polished Center Part Number	S71 Black Center Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
15"	Low	15x4	Front	-22	1.63	71LP-504B16A	71LB-504B16A	75LB-504B16A	76LB-504B16A	77LB-504B16A
	Low	15X5.3	Front	-16	2.50	71LP-505B25A	71LB-505B25A	75LB-505B25A	76LB-505B25A	77LB-505B25A
	Low	15X6.3	Front	-3	3.50	71LP-506B35A	71LB-506B35A	75LB-506B35A	76LB-506B35A	77LB-506B35A
	Low	15X7.3	Front	-16	3.50	71LP-507B35A	71LB-507B35A	75LB-507B35A	76LB-507B35A	77LB-507B35A
	Low	15x8.3	Frnt/Rear	-3	4.50	71LP-508B45A	71LB-508B45A	75LB-508B45A	76LB-508B45A	77LB-508B45A
	Low	15X9.3	Rear Only	10	5.50	71LP-509B55A	71LB-509B55A	75LB-509B55A	76LB-509B55A	77LB-509B55A
	Low	15x10	Rear Only	-1	5.50	71LP-510B55A	71LB-510B55A	75LB-510B55A	76LB-510B55A	77LB-510B55A

17"	Low	17x4.5	Front	-27	1.70	71LP7045B17A	71LB7045B17A	75LB7045B17A	76LB7045B17A	77LB7045B17A
	Low	17x7.0	Front	-3	3.90	71LP7070B40A	71LB7070B40A	75LB7070B40A	76LB7070B40A	77LB7070B40A
	Low	17x8.0	Frnt/Rear	-3	4.40	71LP7080B45A	71LB7080B45A	75LB7080B45A	76LB7080B45A	77LB7080B45A
	Low	17x9.0	Frnt/Rear	10	5.40	71LP7090B55A^	71LB7090B55A^	75LB7090B55A^	76LB7090B55A^	77LB7090B55A^
	Low	17x10.0	Rear Only	-3	5.40	71LP7100B55A	71LB7100B55A	75LB7100B55A	76LB7100B55A	77LB7100B55A
	Low	17x10.5	Rear Only	4	5.90	71LP7105B60A*	71LB7105B60A*	75LB7105B60A*	76LB7105B60A*	77LB7105B60A*

^ May require upper a-arm modification or tubular upper a-arm to prevent inside wheel lip contact at full turning angle of front wheels

* Measure tire under vehicle before mounting tire. 1973-1981 Cars may require removal of rear seat belt retractors to allow flattening of bulge in wheel well for clearance

18"	Low	18x5.0	Front	-20	2.20	71LP8050B22A	71LB8050B22A	75LB8050B22A	76LB8050B22A	77LB8050B22A
	Low	18x7.0	Front	-20	3.20	71LP8070B32A	71LB8070B32A	75LB8070B32A	76LB8070B32A	77LB8070B32A
	Low	18x8.0	Frnt/Rear	-8	4.20	71LP8080B42A	71LB8080B42A	75LB8080B42A	76LB8080B42A	77LB8080B42A
	Low	18x9.0	Frnt/Rear	5	5.20	71LP8090B52A	71LB8090B52A	75LB8090B52A	76LB8090B52A	77LB8090B52A
	Low	18x9.5	Frnt/Rear	11	5.70	71LP8095B57A^	71LB8095B57A^	75LB8095B57A^	76LB8095B57A^	77LB8095B57A^
	Low	18X10.0	Rear Only	18	6.20	71LP8100B62A	71LB8100B62A	75LB8100B62A	76LB8100B62A	77LB8100B62A
	Low	18x10.5	Rear Only	11	6.20	71LP8105B62A*	71LB8105B62A*	75LB8105B62A*	76LB8105B62A*	77LB8105B62A*

^ May require upper a-arm modification or tubular upper a-arm to prevent inside wheel lip contact at full turning angle of front wheels

* Measure tire under vehicle before mounting tire. 1973-1981 Cars may require removal of rear seat belt retractors to allow flattening of bulge in wheel well for clearance

20"	Low	20x8.0	Front	0	4.50	71LP0080B45A	71LB0080B45A	75LB0080B45A	76LB0080B45A	77LB0080B45A
	Low	20x9.0	Front	0	5.00	71LP0090B50A	71LB0090B50A	75LB0090B50A	76LB0090B50A	77LB0090B50A
	Low	20x9.5	Front	6	5.50	71LP0095B55A	71LB0095B55A	75LB0095B55A	76LB0095B55A	77LB0095B55A
	Low	20x10.0	Rear Only	0	5.50	71LP0100B55A	71LB0100B55A	75LB0100B55A	76LB0100B55A	77LB0100B55A
	Low	20x10.5	Rear Only	6	6.00	71LP0105B60A	71LB0105B60A	75LB0105B60A	76LB0105B60A	77LB0105B60A

^ May require upper a-arm modification or tubular upper a-arm to prevent inside wheel lip contact at full turning angle of front wheels

* Measure tire under vehicle before mounting tire. 1973-1981 Cars may require removal of rear seat belt retractors to allow flattening of bulge in wheel well for clearance

1967-1969 Firebird (1st Gen)

5x4.75" [B] 7/16 lugs

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	S71 Polished Center Part Number	S71 Black Center Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
15"	Low	15x4	Front	-21	1.63	71LP-504B16A	71LB-504B16A	75LB-504B16A	76LB-504B16A	77LB-504B16A
	Low	15x5.3	Front	-16	2.50	71LP-505B25A	71LB-505B25A	75LB-505B25A	76LB-505B25A	77LB-505B25A
	Low	15x6.3	Front	-3	3.50	71LP-506B35A	71LB-506B35A	75LB-506B35A	76LB-506B35A	77LB-506B35A
	Low	15x7.3	Front	-16	3.50	71LP-507B35A	71LB-507B35A	75LB-507B35A	76LB-507B35A	77LB-507B35A
	Low	15x8.3	Frnt/Rear	-3	4.50	71LP-508B45A	71LB-508B45A	75LB-508B45A	76LB-508B45A	77LB-508B45A
	Low	15x9.3	Rear Only	10	5.50	71LP-509B55A~	71LB-509B55A~	75LB-509B55A~	76LB-509B55A~	77LB-509B55A~

~May require relocating rear shocks inboard

17"	Low	17x4.5	Front	-27	1.70	71LP7045B17A	71LB7045B17A	75LB7045B17A	76LB7045B17A	77LB7045B17A
	Low	17x7.0	Front	-3	3.90	71LP7070B40A	71LB7070B40A	75LB7070B40A	76LB7070B40A	77LB7070B40A
	Low	17x8.0	Frnt/Rear	-3	4.40	71LP7080B45A	71LB7080B45A	75LB7080B45A	76LB7080B45A	77LB7080B45A
	Low	17x9.0	Rear Only	10	5.40	71LP7090B55A~	71LB7090B55A~	75LB7090B55A~	76LB7090B55A~	77LB7090B55A~

~May require relocating rear shocks inboard

18"	Low	18x5.0	Front	-8	2.70	71LP8050B27A	71LB8050B27A	75LB8050B27A	76LB8050B27A	77LB8050B27A
	Low	18x7.0	Front	5	4.20	71LP8070B42A	71LB8070B42A	75LB8070B42A	76LB8070B42A	77LB8070B42A
	Low	18x8.0	Front	5	4.70	71LP8080B47A	71LB8080B47A	75LB8080B47A	76LB8080B47A	77LB8080B47A
	Low	18x9.0	Rear Only	18	5.70	71LP8090B57A~	71LB8090B57A~	75LB8090B57A~	76LB8090B57A~	77LB8090B57A~

~May require relocating rear shocks inboard

20"	Low	20x8.0	Rear Only	0	4.50	71LP0080B45A	71LB0080B45A	75LB0080B45A	76LB0080B45A	77LB0080B45A
	Low	20x8.5	Rear Only	6	5.00	71LP0085B50A	71LB0085B50A	75LB0085B50A	76LB0085B50A	77LB0085B50A
	Low	20x9.0	Rear Only	13	5.50	71LP0090B55A~	71LB0090B55A~	75LB0090B55A~	76LB0090B55A~	77LB0090B55A~

~May require relocating rear shocks inboard

1997-2008 Grand Prix/GT/GXP

(FWD) Gen 6 & 7 W-body

5x115 mm [W] 12mmX1.5 lugs. Conical Lugs req'd 17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	S71 Polished Center Part Number	S71 Black Center Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
17"	Medium	17x4.5	Rear Only	-14	2.20	71MP7045W22A	71MB7045W22A	75MB7045W22A	76MB7045W22A	77MB7045W22A
	Medium	17x7.0	Rear Only	20	4.80	71MP7070W48A	71MB7070W48A	75MB7070W48A	76MB7070W48A	77MB7070W48A
	Medium	17x8.0	Frnt/Rear	33	5.80	71MP7080W58A	71MB7080W58A	75MB7080W58A	76MB7080W58A	77MB7080W58A

18"	Medium	18x5.0	Rear Only	-8	2.70	71MP8050W27A	71MB8050W27A	75MB8050W27A	76MB8050W27A	77MB8050W27A
	Medium	18x7.0	Rear Only	18	4.70	71MP8070W47A	71MB8070W47A	75MB8070W47A	76MB8070W47A	77MB8070W47A
	Medium	18x8.0	Frnt/Rear	30	5.70	71MP8080W57A	71MB8080W57A	75MB8080W57A	76MB8080W57A	77MB8080W57A
	Medium	18x8.5	Frnt/Rear	37	6.20	71MP8085W62A	71MB8085W62A	75MB8085W62A	76MB8085W62A	77MB8085W62A

20"	Medium	20x7.0	Rear Only	23	4.90	71LP0070W49A	71LB0070W49A	75LB0070W49A	76LB0070W49A	77LB0070W49A
	Medium	20x8.0	Frnt/Rear	36	5.90	71LP0080W59A	71LB0080W59A	75LB0080W59A	76LB0080W59A	77LB0080W59A
	Medium	20x8.5	Frnt/Rear	42	6.40	71LP0085W64A	71LB0085W64A	75LB0085W64A	76LB0085W64A	77LB0085W64A



1978-87 LeMans/Grand Am/Grand Prix

2nd Gen G-body 5x4.75" (B), LeMans RWD 7/16 lugs, 1982-87 Grand Prix RWD 12mmX1.5,

1970-81 Grand Am RWD 7/16 lugs

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	S71 Polished Center Part Number	S71 Black Center Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
15"	Low	15x4	Front	-21	1.63	71LP-504B16A	71LB-504B16A	75LB-504B16A	76LB-504B16A	77LB-504B16A
	Low	15x5.3	Front	-16	2.50	71LP-505B25A	71LB-505B25A	75LB-505B25A	76LB-505B25A	77LB-505B25A
	Low	15x6.3	Front	-3	3.50	71LP-506B35A	71LB-506B35A	75LB-506B35A	76LB-506B35A	77LB-506B35A
	Low	15x7.3	Frt/Rear	10	4.50	71LP-507B45A	71LB-507B45A	75LB-507B45A	76LB-507B45A	77LB-507B45A
	Low	15x8.3	Rear Only	-4	4.50	71LP-508B45A	71LB-508B45A	75LB-508B45A	76LB-508B45A	77LB-508B45A

17"	Low	17x4.5	Front	-27	1.70	71LP7045B17A	71LB7045B17A	75LB7045B17A	76LB7045B17A	77LB7045B17A
	Low	17x6.0	Front	-15	2.90	71LP7060B30A	71LB7060B30A	75LB7060B30A	76LB7060B30A	77LB7060B30A
	Low	17x7.0	Frt/Rear	-3	3.90	71LP7070B40A	71LB7070B40A	75LB7070B40A	76LB7070B40A	77LB7070B40A
	Low	17x8.0	Rear Only	10	4.90	71LP7080B50A	71LB7080B50A	75LB7080B50A	76LB7080B50A	77LB7080B50A

18"	Low	18x5.0	Front	-20	2.20	71LP8050B22A	71LB8050B22A	75LB8050B22A	76LB8050B22A	77LB8050B22A
	Low	18x6.0	Front	-8	3.20	71LP8060B32A	71LB8060B32A	75LB8060B32A	76LB8060B32A	77LB8060B32A
	Low	18x7.0	Frt/Rear	5	4.20	71LP8070B42A	71LB8070B42A	75LB8070B42A	76LB8070B42A	77LB8070B42A
	Low	18x8.0	Rear Only	5	4.70	71LP8080B47A	71LB8080B47A	75LB8080B47A	76LB8080B47A	77LB8080B47A

20"	Low	20x7.0	Frt/Rear	0	4.00	71LP0070B40A	71LB0070B40A	75LB0070B40A	76LB0070B40A	77LB0070B40A
	Low	20x8.0	Rear Only	0	4.50	71LP0080B45A	71LB0080B45A	75LB0080B45A	76LB0080B45A	77LB0080B45A

1973-77 LeMans/GTO/Grand Am/Grand Prix

3rd Gen A-body 7/16 lugs 5x4.75 (B)

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	S71 Polished Center Part Number	S71 Black Center Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
15"	Low	15x4	Front	-21	1.63	71LP-504B16A	71LB-504B16A	75LB-504B16A	76LB-504B16A	77LB-504B16A
	Low	15x5.3	Front	-16	2.50	71LP-505B25A	71LB-505B25A	75LB-505B25A	76LB-505B25A	77LB-505B25A
	Low	15x6.3	Front	-3	3.50	71LP-506B35A	71LB-506B35A	75LB-506B35A	76LB-506B35A	77LB-506B35A
	Low	15x7.3	Front	-16	3.50	71LP-507B35A	71LB-507B35A	75LB-507B35A	76LB-507B35A	77LB-507B35A
	Low	15x8.3	Frt/Rear	-4	4.50	71LP-508B45A	71LB-508B45A	75LB-508B45A	76LB-508B45A	77LB-508B45A
	Low	15x9.3	Rear Only	-16	4.50	71LP-509B45A	71LB-509B45A	75LB-509B45A	76LB-509B45A	77LB-509B45A
	Low	15x10.3	Rear Only	-4	5.50	71LP-510B55A	71LB-510B55A	75LB-510B55A	76LB-510B55A	77LB-510B55A

17"	Low	17x4.5	Front	-27	1.70	71LP7045B17A	71LB7045B17A	75LB7045B17A	76LB7045B17A	77LB7045B17A
	Low	17x7.0	Front	-15	3.40	71LP7070B35A	71LB7070B35A	75LB7070B35A	76LB7070B35A	77LB7070B35A
	Low	17x8.0	Frt/Rear	-3	4.40	71LP7080B45A	71LB7080B45A	75LB7080B45A	76LB7080B45A	77LB7080B45A
	Low	17x9.0	Rear Only	-15	4.40	71LP7090B45A	71LB7090B45A	75LB7090B45A	76LB7090B45A	77LB7090B45A
	Low	17x10.0	Rear Only	-3	5.40	71LP7100B55A	71LB7100B55A	75LB7100B55A	76LB7100B55A	77LB7100B55A

18"	Low	18x5.0	Front	-20	2.20	71LP8050B22A	71LB8050B22A	75LB8050B22A	76LB8050B22A	77LB8050B22A
	Low	18x7.0	Front	-8	3.70	71LP8070B37A	71LB8070B37A	75LB8070B37A	76LB8070B37A	77LB8070B37A
	Low	18x8.0	Frnt/Rear	5	4.70	71LP8080B47A	71LB8080B47A	75LB8080B47A	76LB8080B47A	77LB8080B47A
	Low	18x9.0	Rear Only	-8	4.70	71LP8090B47A	71LB8090B47A	75LB8090B47A	76LB8090B47A	77LB8090B47A
	Low	18x10.0	Rear Only	5	5.70	71LP8100B57A	71LB8100B57A	75LB8100B57A	76LB8100B57A	77LB8100B57A

20"	Low	20x7.0	Front	-13	3.50	71LP0070B35A	71LB0070B35A	75LB0070B35A	76LB0070B35A	77LB0070B35A
	Low	20x8.0	Frnt/Rear	0	4.50	71LP0080B45A	71LB0080B45A	75LB0080B45A	76LB0080B45A	77LB0080B45A
	Low	20x9.0	Rear Only	-13	4.50	71LP0090B45A	71LB0090B45A	75LB0090B45A	76LB0090B45A	77LB0090B45A
	Low	20x10.0	Rear Only	0	5.50	71LP0100B55A	71LB0100B55A	75LB0100B55A	76LB0100B55A	77LB0100B55A

1968-72 Tempest/LeMans/GTO

2nd Gen A-body 5x4.75" [B] 7/16 lugs

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	S71 Polished Center Part Number	S71 Black Center Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
15"	Low	15x4	Front	-21	1.63	71LP-504B16A	71LB-504B16A	75LB-504B16A	76LB-504B16A	77LB-504B16A
	Low	15x5.3	Front	-16	2.50	71LP-505B25A	71LB-505B25A	75LB-505B25A	76LB-505B25A	77LB-505B25A
	Low	15x6.3	Front	-3	3.50	71LP-506B35A	71LB-506B35A	75LB-506B35A	76LB-506B35A	77LB-506B35A
	Low	15x7.3	Front	-16	3.50	71LP-507B35A	71LB-507B35A	75LB-507B35A	76LB-507B35A	77LB-507B35A
	Low	15x8.3	Frnt/Rear	-4	4.50	71LP-508B45A	71LB-508B45A	75LB-508B45A	76LB-508B45A	77LB-508B45A
	Low	15x9.3	Rear Only	-16	4.50	71LP-509B45A	71LB-509B45A	75LB-509B45A	76LB-509B45A	77LB-509B45A
	Low	15x10.3	Rear Only	-4	5.50	71LP-510B55A	71LB-510B55A	75LB-510B55A	76LB-510B55A	77LB-510B55A

17"	Low	17x4.5	Front	-27	1.70	71LP7045B17A	71LB7045B17A	75LB7045B17A	76LB7045B17A	77LB7045B17A
	Low	17x7.0	Front	-15	3.40	71LP7070B35A	71LB7070B35A	75LB7070B35A	76LB7070B35A	77LB7070B35A
	Low	17x8.0	Frnt/Rear	-3	4.40	71LP7080B45A	71LB7080B45A	75LB7080B45A	76LB7080B45A	77LB7080B45A
	Low	17x9.0	Rear Only	-15	4.40	71LP7090B45A	71LB7090B45A	75LB7090B45A	76LB7090B45A	77LB7090B45A
	Low	17x10.0	Rear Only	-3	5.40	71LP7100B55A	71LB7100B55A	75LB7100B55A	76LB7100B55A	77LB7100B55A

18"	Low	18x5.0	Front	-20	2.20	71LP8050B22A	71LB8050B22A	75LB8050B22A	76LB8050B22A	77LB8050B22A
	Low	18x7.0	Front	-8	3.70	71LP8070B37A	71LB8070B37A	75LB8070B37A	76LB8070B37A	77LB8070B37A
	Low	18x8.0	Frnt/Rear	5	4.70	71LP8080B47A	71LB8080B47A	75LB8080B47A	76LB8080B47A	77LB8080B47A
	Low	18x9.0	Rear Only	-8	4.70	71LP8090B47A	71LB8090B47A	75LB8090B47A	76LB8090B47A	77LB8090B47A
	Low	18x10.0	Rear Only	5	5.70	71LP8100B57A	71LB8100B57A	75LB8100B57A	76LB8100B57A	77LB8100B57A

20"	Low	20x7.0	Front	-13	3.50	71LP0070B35A	71LB0070B35A	75LB0070B35A	76LB0070B35A	77LB0070B35A
	Low	20x8.0	Frnt/Rear	0	4.50	71LP0080B45A	71LB0080B45A	75LB0080B45A	76LB0080B45A	77LB0080B45A
	Low	20x9.0	Rear Only	-13	4.50	71LP0090B45A	71LB0090B45A	75LB0090B45A	76LB0090B45A	77LB0090B45A
	Low	20x10.0	Rear Only	0	5.50	71LP0100B55A	71LB0100B55A	75LB0100B55A	76LB0100B55A	77LB0100B55A



1964-67 Tempest/LeMans/GTO

1st Gen A-body 5x4.75" (B) 7/16 lugs

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	S71 Polished Center Part Number	S71 Black Center Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
15"	Low	15x4	Front	-21	1.63	71LP-504B16A	71LB-504B16A	75LB-504B16A	76LB-504B16A	77LB-504B16A
	Low	15x5.3	Front	-16	2.50	71LP-505B25A	71LB-505B25A	75LB-505B25A	76LB-505B25A	77LB-505B25A
	Low	15x6.3	Front	-3	3.50	71LP-506B35A	71LB-506B35A	75LB-506B35A	76LB-506B35A	77LB-506B35A
	Low	15X7.3	Frnt/Rear	-16	3.50	71LP-507B35A	71LB-507B35A	75LB-507B35A	76LB-507B35A	77LB-507B35A
	Low	15X8.3	Rear Only	-4	4.50	71LP-508B45A	71LB-508B45A	75LB-508B45A	76LB-508B45A	77LB-508B45A

17"	Low	17x4.5	Front	-27	1.70	71LP7045B17A	71LB7045B17A	75LB7045B17A	76LB7045B17A	77LB7045B17A
	Low	17x7.0	Frnt/Rear	-3	3.90	71LP7070B40A	71LB7070B40A	75LB7070B40A	76LB7070B40A	77LB7070B40A
	Low	17x7.5	Rear Only	4	4.40	71LP7075B45A	71LB7075B45A	75LB7075B45A	76LB7075B45A	77LB7075B45A
	Low	17x8.0	Rear Only	10	4.90	71LP7080B50A	71LB7080B50A	75LB7080B50A	76LB7080B50A	77LB7080B50A

18"	Low	18x5.0	Front	-8	2.70	71LP8050B27A	71LB8050B27A	75LB8050B27A	76LB8050B27A	77LB8050B27A
	Low	18x7.0	Frnt/Rear	5	4.20	71LP8070B42A	71LB8070B42A	75LB8070B42A	76LB8070B42A	77LB8070B42A
	Low	18x7.5	Rear Only	11	4.70	71LP8075B47A	71LB8075B47A	75LB8075B47A	76LB8075B47A	77LB8075B47A
	Low	18x8.0	Rear Only	18	5.20	71LP8080B52A	71LB8080B52A	75LB8080B52A	76LB8080B52A	77LB8080B52A

20"	Low	20x7.0	Frnt/Rear	0	4.00	71LP0070B40A	71LB0070B40A	75LB0070B40A	76LB0070B40A	77LB0070B40A
	Low	20x7.5	Rear Only	6	4.50	71LP0075B45A	71LB0075B45A	75LB0075B45A	76LB0075B45A	77LB0075B45A
	Low	20x8.0	Rear Only	13	5.00	71LP0080B50A	71LB0080B50A	75LB0080B50A	76LB0080B50A	77LB0080B50A

1969-72 Grand Prix

1st Gen G-Body 5x4.75" (B) 7/16 Lugs

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	S71 Polished Center Part Number	S71 Black Center Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
15"	Low	15x4	Front	-21	1.63	71LP-504B16A	71LB-504B16A	75LB-504B16A	76LB-504B16A	77LB-504B16A
	Low	15x5.3	Front	-16	2.50	71LP-505B25A	71LB-505B25A	75LB-505B25A	76LB-505B25A	77LB-505B25A
	Low	15x6.3	Front	-3	3.50	71LP-506B35A	71LB-506B35A	75LB-506B35A	76LB-506B35A	77LB-506B35A
	Low	15x7.3	Front	-16	3.50	71LP-507B35A	71LB-507B35A	75LB-507B35A	76LB-507B35A	77LB-507B35A
	Low	15X8.3	Frnt/Rear	-4	4.50	71LP-508B45A	71LB-508B45A	75LB-508B45A	76LB-508B45A	77LB-508B45A
	Low	15x9.3	Rear Only	-16	4.50	71LP-509B45A	71LB-509B45A	75LB-509B45A	76LB-509B45A	77LB-509B45A
	Low	15X10.3	Rear Only	-4	5.50	71LP-510B55A	71LB-510B55A	75LB-510B55A	76LB-510B55A	77LB-510B55A

17"	Low	17x4.5	Front	-27	1.70	71LP7045B17A	71LB7045B17A	75LB7045B17A	76LB7045B17A	77LB7045B17A
	Low	17x7.0	Front	-15	3.40	71LP7070B35A	71LB7070B35A	75LB7070B35A	76LB7070B35A	77LB7070B35A
	Low	17x8.0	Frnt/Rear	-3	4.40	71LP7080B45A	71LB7080B45A	75LB7080B45A	76LB7080B45A	77LB7080B45A
	Low	17x9.0	Rear Only	-15	4.40	71LP7090B45A	71LB7090B45A	75LB7090B45A	76LB7090B45A	77LB7090B45A
	Low	17x10.0	Rear Only	-3	5.40	71LP7100B55A	71LB7100B55A	75LB7100B55A	76LB7100B55A	77LB7100B55A

18"	Low	18x5.0	Front	-8	2.70	71LP8050B27A	71LB8050B27A	75LB8050B27A	76LB8050B27A	77LB8050B27A
	Low	18x7.0	Front	-8	3.70	71LP8070B37A	71LB8070B37A	75LB8070B37A	76LB8070B37A	77LB8070B37A
	Low	18x8.0	Frnt/Rear	5	4.70	71LP8080B47A	71LB8080B47A	75LB8080B47A	76LB8080B47A	77LB8080B47A
	Low	18x9.0	Rear Only	-8	4.70	71LP8090B47A	71LB8090B47A	75LB8090B47A	76LB8090B47A	77LB8090B47A
	Low	18x10.0	Rear Only	5	5.70	71LP8100B57A	71LB8100B57A	75LB8100B57A	76LB8100B57A	77LB8100B57A

20"	Low	20x7.0	Front	-13	3.50	71LP0070B35A	71LB0070B35A	75LB0070B35A	76LB0070B35A	77LB0070B35A
	Low	20x8.0	Frnt/Rear	0	4.50	71LP0080B45A	71LB0080B45A	75LB0080B45A	76LB0080B45A	77LB0080B45A
	Low	20x9.0	Rear Only	-13	4.50	71LP0090B45A	71LB0090B45A	75LB0090B45A	76LB0090B45A	77LB0090B45A
	Low	20x10.0	Rear Only	0	5.50	71LP0100B55A	71LB0100B55A	75LB0100B55A	76LB0100B55A	77LB0100B55A

1975-79 Ventura/Phoenix

3rd Gen X-Body 5x4.75(B) 7/16 lugs

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	S71 Polished Center Part Number	S71 Black Center Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
15"	Low	15x4	Front	-21	1.63	71LP-504B16A	71LB-504B16A	75LB-504B16A	76LB-504B16A	77LB-504B16A
	Low	15x5.3	Front	-16	2.50	71LP-505B25A	71LB-505B25A	75LB-505B25A	76LB-505B25A	77LB-505B25A
	Low	15x6.3	Front	-3	3.50	71LP-506B35A	71LB-506B35A	75LB-506B35A	76LB-506B35A	77LB-506B35A
	Low	15x7.3	Frnt/Rear	10	4.50	71LP-507B45A	71LB-507B45A	75LB-507B45A	76LB-507B45A	77LB-507B45A
	Low	15x8.3	Rear Only	21	5.50	71LP-508B55A~	71LB-508B55A~	75LB-508B55A~	76LB-508B55A~	77LB-508B55A~

~May require relocating rear shocks inboard

17"	Low	17x4.5	Front	-27	1.70	71LP7045B17A	71LB7045B17A	75LB7045B17A	76LB7045B17A	77LB7045B17A
	Low	17x7.0	Front	-3	3.90	71LP7070B40A	71LB7070B40A	75LB7070B40A	76LB7070B40A	77LB7070B40A
	Low	17x7.5	Front	4	4.40	71LP7075B45A	71LB7075B45A	75LB7075B45A	76LB7075B45A	77LB7075B45A
	Low	17x8.0	Frnt/Rear	10	4.90	71LP7080B50A~	71LB7080B50A~	75LB7080B50A~	76LB7080B50A~	77LB7080B50A~

~May require relocating rear shocks inboard

18"	Low	18x5.0	Front	-20	2.20	71LP8050B22A	71LB8050B22A	75LB8050B22A	76LB8050B22A	77LB8050B22A
	Low	18x7.0	Front	-8	3.70	71LP8070B37A	71LB8070B37A	75LB8070B37A	76LB8070B37A	77LB8070B37A
	Low	18x8.0	Front	5	4.70	71LP8080B47A	71LB8080B47A	75LB8080B47A	76LB8080B47A	77LB8080B47A
	Low	18x8.5	Rear Only	11	5.20	71LP8085B52A	71LB8085B52A	75LB8085B52A	76LB8085B52A	77LB8085B52A
	Low	18x9.0	Rear Only	18	5.70	71LP8090B57A~	71LB8090B57A~	75LB8090B57A~	76LB8090B57A~	77LB8090B57A~

~May require relocating rear shocks inboard

20"	Low	20x7.0	Front	-13	3.50	71LP0070B35A	71LB0070B35A	75LB0070B35A	76LB0070B35A	77LB0070B35A
	Low	20x8.0	Front	0	4.50	71LP0080B45A	71LB0080B45A	75LB0080B45A	76LB0080B45A	77LB0080B45A
	Low	20x8.5	Rear Only	19	5.50	71LP0085B55A	71LB0085B55A	75LB0085B55A	76LB0085B55A	77LB0085B55A
	Low	20x9.0	Rear Only	25	6.00	71LP0090B60A~	71LB0090B60A~	75LB0090B60A~	76LB0090B60A~	77LB0090B60A~

~May require relocating rear shocks inboard

1971-74 Ventura II/Ventura/1974 GTO

2nd Gen X-Body 5x4.75" (B) 7/16 Lugs

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	S71 Polished Center Part Number	S71 Black Center Part Number	S75 Black Center Part Number	S76 Black Center Part Number	S77 Black Center Part Number
15"	Low	15x4	Front	-21	1.63	71LP-504B16A	71LB-504B16A	75LB-504B16A	76LB-504B16A	77LB-504B16A
	Low	15x5.3	Front	-16	2.50	71LP-505B25A	71LB-505B25A	75LB-505B25A	76LB-505B25A	77LB-505B25A
	Low	15x6.3	Front	-3	3.50	71LP-506B35A	71LB-506B35A	75LB-506B35A	76LB-506B35A	77LB-506B35A
	Low	15x7.3	Frnt/Rear	10	4.50	71LP-507B45A	71LB-507B45A	75LB-507B45A	76LB-507B45A	77LB-507B45A
	Low	15x8.3	Rear Only	21	5.50	71LP-508B55A~	71LB-508B55A~	75LB-508B55A~	76LB-508B55A~	77LB-508B55A~

~May require relocating rear shocks inboard

17"	Low	17x4.5	Front	-27	1.70	71LP7045B17A	71LB7045B17A	75LB7045B17A	76LB7045B17A	77LB7045B17A
	Low	17x7.0	Frnt/Rear	11	4.40	71LP7070B45A	71LB7070B45A	75LB7070B45A	76LB7070B45A	77LB7070B45A
	Low	17x8.0	Rear Only	10	4.90	71LP7080B50A	71LB7080B50A	75LB7080B50A	76LB7080B50A	77LB7080B50A
	Low	17x8.5	Rear Only	17	5.40	71LP7085B55A~	71LB7085B55A~	75LB7085B55A~	76LB7085B55A~	77LB7085B55A~

~May require relocating rear shocks inboard

18"	Low	18x5.0	Front	-8	2.70	71LP8050B27A	71LB8050B27A	75LB8050B27A	76LB8050B27A	77LB8050B27A
	Low	18x7.0	Front	18	4.70	71LP8070B47A	71LB8070B47A	75LB8070B47A	76LB8070B47A	77LB8070B47A
	Low	18x8.0	Rear Only	5	4.70	71LP8080B47A	71LB8080B47A	75LB8080B47A	76LB8080B47A	77LB8080B47A
	Low	18x9.0	Rear Only	18	5.70	71LP8090B57A~	71LB8090B57A~	75LB8090B57A~	76LB8090B57A~	77LB8090B57A~

~May require relocating rear shocks inboard

20"	Low	20x6.0	Front	0	3.50	71LP0060B35A	71LB0060B35A	75LB0060B35A	76LB0060B35A	77LB0060B35A
	Low	20x7.0	Rear Only	13	4.50	71LP0070B45A	71LB0070B45A	75LB0070B45A	76LB0070B45A	77LB0070B45A